

State of Illinois
Department of Children and Family Services
HOME SAFETY CHECKLIST FOR INTACT FAMILY AND PERMANENCY WORKERS

INSTRUCTIONS FOR COMPLETING THE HOME SAFETY CHECKLIST

Every year, 120,000 children 14 years of age and younger suffer some form of permanent damage due to unintentional/accidental injuries. Infants and toddlers are at high risk of unintentional injury or death due to their inability to recognize and react to protect themselves from the danger. According to data from the National SAFE KIDS Campaign:

- Accidental or unintentional injury is the leading cause of death among children, teens and young adults.
- The five leading causes of accidental injury are drowning, burns, motor vehicle accidents, falls, and poisonings.
- Burns and fires are the fourth most common cause of accidental death in children.
- Nearly 75 percent of all burns in children are preventable.
- Nearly 2,900 adults and children die every year in fires or from other burn injuries.
- The majority of children ages four and under, who are hospitalized for burn-related injuries, suffer from scald burns (65 percent) or contact burns (20 percent).
- Hot tap water burns result in more deaths and hospitalizations than burns from any other hot liquids.

Fire/burns, motor vehicle traffic accidents, suffocation and accidental falls are the leading causes of unintentional deaths of children under the age of five in Illinois. Numerous Illinois children also die each year as a result of domestic violence.

While it may be impossible to eliminate all the dangers children encounter in their homes, one of the most important factors in reducing those dangers is parent education. The **Home Safety Checklist**, when properly used with parents and caregivers, provides an effective home safety assessment and educational tool that will assist in promoting the safety of children.

WHEN TO COMPLETE THE CHECKLIST

Intact Family Cases

Intact Family Workers shall complete the **Home Safety Checklist**:

- Within 30 days of the case opening regardless of whether a **CFS 2027** was completed by a Child Protection Specialist;
- Prior to a major change of life circumstance (e.g., move to a new home, child birth);
- Every 90 days during the life of the case;
- When a family with an open service case is the subject of a subsequent child abuse or neglect investigation; and
- Within 5 calendar days of a supervisory approved case closure in conjunction with the final CERAP.

State of Illinois
Department of Children and Family Services
HOME SAFETY CHECKLIST FOR INTACT FAMILY AND PERMANENCY WORKERS

Subsequent CA/N Investigations of Families with Open Cases

The Child Protection Specialist or the Child Protection Supervisor shall notify the family assigned Intact Family or Permanency Worker or the worker's supervisor of the subsequent oral report (SOR) of alleged abuse or neglect within 48 hours after assignment of the investigation. The notification shall include the reminder that the worker must complete a new checklist or re-certify the family's previous checklist within **14 days** of the SOR. The Intact Family or Permanency Worker must also complete a case note that documents the worker's current assessment of home safety issues and forward the documentation to the Child Protection Specialist. The Child Protection Specialist cannot complete the investigation without receipt of documentation that a checklist has been completed.

A **Home Safety Checklist Waiver** may be granted by the Intact Family Supervisor if the allegation or allegations of the SOR do not involve inadequate shelter, inadequate supervision, substance misuse, environmental neglect, inadequate food or inadequate clothing. The supervisor must complete a supervisory note documenting the waiver and rationale for the approval.

A **Home Safety Checklist Recertification** may be granted by the Intact Family Supervisor if the checklist was completed within six months of the SOR; the SOR does not involve an allegation of inadequate supervision, inadequate food, inadequate clothing, inadequate shelter environmental neglect or substance misuse; and the Intact Family Worker has completed a walk through of the family's home to confirm that the conditions of the home have not changed. The supervisor must complete a supervisory note documenting the approval and rationale for the approval.

Placement Cases

Permanency Workers shall complete the **Home Safety Checklist**:

- When a child is placed with an unlicensed relative. The assessment must be completed on the home of the relative;
- When there is a child abuse or neglect investigation of an unlicensed home in which a child is placed;
- Prior to a scheduled unsupervised visit in the home of the parents;
- When there is a child abuse or neglect investigation involving an alleged incident that occurs during an unsupervised home visit;
- Prior to placement of a pregnant or parenting teen in an independent living arrangement;
- When a parenting teen is identified as the alleged perpetrator of abuse or neglect involving his or her child or any child residing in the household;
- Prior to implementation of child care arrangements involving a child for whom the Department is legally responsible when a parent or caregiver plans to use an unlicensed day care home. The assessment must be completed on the day care home;
- Prior to a major change of life circumstance (e.g., move to a new home, child birth);
- Within 24 hours prior to returning a child home; and
- Within 5 working days after a child is returned home and every month thereafter until the family case is closed.

A **Home Safety Checklist waiver** may be granted by the Permanency Supervisor if there is an SOR and the family does not have an open service case with the Department; a checklist was completed for the family within 30 days; and the allegation or allegations of the SOR do not involve inadequate shelter, inadequate supervision, substance misuse, environmental neglect, inadequate food, or inadequate clothing. The Permanency Supervisor must complete a supervisory note documenting the waiver and rationale for the approval.

State of Illinois
Department of Children and Family Services

HOME SAFETY CHECKLIST FOR INTACT FAMILY AND PERMANENCY WORKERS

A **Home Safety Checklist Recertification** may be granted by the Permanency Supervisor if the checklist was completed within six months of the SOR; the SOR does not involve an allegation or allegations of inadequate shelter, inadequate supervision, substance misuse, environmental neglect, inadequate food, inadequate clothing; and the Permanency Specialist has completed a walk through of the family's home to confirm that the conditions of the home have not changed. The Permanency Supervisor must complete a supervisory note documenting the approval for recertification and the rationale for approval.

Note: When there is an allegation of inadequate shelter, inadequate supervision, substance misuse, environmental neglect, inadequate food or inadequate clothing the checklist should be completed at the time the Safety Determination Form, CFS 1441, is completed.

HOW TO COMPLETE THE CHECKLIST

The **Home Safety Checklist** addresses fifteen categories of home safety. Each category is supported by safety standards, literature, and straightforward factual information that should be shared with the parent/caregiver. Use the factual information and literature associated with each category to establish an instructive dialogue to educate the family on safety issues.

There are three activities required for each standard:

1. Discuss the safety standard with the parent/caregiver;
2. Indicate the presence or absence of the safety standard; and
3. Provide the parent/caregiver with seven pieces of literature: *PARENTS' GUIDE to Fire Safety for Babies and Toddlers, A Helpful Guide for Parents and Caregivers, Back to Sleep, Get water wise...SUPERVISE, Never Shake a Baby!, Practice Methadone Safety* (only if applicable) and *Violence Prevention*. This literature can be ordered from Central Stores.

Example: Once you have discussed the importance of having a working smoke detector and observed that the family has a smoke detector located near their sleeping areas and the smoke detector works, circle "**Yes**" after the standard: **The home has a working smoke detector located near the family's sleeping areas**. If the family does not have a working smoke detector or has a smoke detector that does not work, circle "**No**". A "**No**" response requires a brief explanation in the Comments section.

When the parent/caregiver is provided fire safety literature, circle "**Yes**" to indicate that the required fire prevention literature was provided. The Sleeping standard also requires a comment when a worker does not observe a crib or bassinette for infants age 1 or younger. Some standards are age specific. For example, the standards that discuss burns may not be applicable to older children. When the standard does not apply circle "**N/A**".

When a standard requires the observation of a specific item or items (e.g., smoke detectors, small electrical appliances), the worker is required to complete the task if the item is readily observable. Do not open cabinets or drawers, move furniture or handle dangerous items. On the last page of the checklist there is a section to make additional comments or identify other hazards.

State of Illinois
Department of Children and Family Services

HOME SAFETY CHECKLIST FOR INTACT FAMILY AND PERMANENCY WORKERS

The home safety assessment is a service provided to the children and families served by the Department. In order for the **Home Safety Checklist** to be effective, the responsibility for its completion must be shared with the parent/caregiver. Use the information provided at the top of page one of the instructions to explain the purpose of the assessment, provide the parent/caregiver a copy of the **CFS 2026 or 2026-S** (Spanish adaptation), **Home Safety Checklist for Parents and Caregivers**, to use during the assessment, and to take notes on and retain for future reference. The formats of the **CFS 2027** and **CFS2026/2026-S** differ; use the prompts provided on the **CFS 2027** to locate the corresponding **CFS 2026/2026-S** sections. Sign, date and have the parent/caregiver sign the completed assessment. If the parent/caregiver declines the opportunity to complete the checklist, check the declined box and request that the parent/caregiver verify his or her decision by signing the form. If the parent/caregiver refuses to sign the form, document the negative response on the parent's signature line. Place the completed assessment in the investigative local index file.

Note: The CFS 2027 does not supersede any of the requirements for the completion of the CFS 1441 or CFS 454, HMR Placement Safety Checklist.

Suggest that the family visit the following resources if they have Internet access:

American College of Emergency Physicians, www.acep.org
American Association of Poison Control Centers, <http://www.aapcc.org>
American Red Cross Health and Safety Services, <http://www.redcross.org>
National Safe Kids Campaign, <http://www.safekids.org>
American Human Society, www.americanhumanesociety.org
American Veterinary Medical Association, www.avma.org
Centers for Disease Control and Prevention, www.cdc.gov
National Center for Injury Prevention and Control, www.cdc.gov/injury/index

State of Illinois
Department of Children and Family Services
HOME SAFETY CHECKLIST FOR INTACT FAMILY AND PERMANENCY WORKERS

Date Checklist completed: _____

Parent / Caregiver Name(s): _____

Parent / Caregiver Address: _____

Names and ages of Children in the Home:

FIRE AND BURNS

Please circle your answers.

PARENTS' GUIDE to Fire Safety for Babies and Toddlers

Literature Given: Yes No

A HELPFUL GUIDE for PARENTS and CAREGIVERS

Literature Given: Yes No

A functioning smoke detector was observed in the home.

Yes No

Comments: _____

1. The home has a working smoke detector near the family's sleeping areas.	Discussed with parent?	Yes	No
---	------------------------	-----	----

2. The family has a fire escape plan that they practice so that they can react quickly in case of a fire.	Discussed with parent?	Yes	No
--	------------------------	-----	----

Young children in Illinois are more than three times as likely to die in a residential fire than the rest of the state's population. Working smoke detectors save lives! Instruct the family to change smoke detector batteries when they reset their clocks, **SPRING AHEAD** and **FALL BACK**. Additionally, if the family/unlicensed caregiver does not have the means to purchase new or repair non-working smoke detectors, the worker shall have the caregiver complete and sign the **CFS 595-2, Consent for Installation of Smoke Alarm(s)** form. The worker shall fax the completed form as instructed on the bottom of the **CFS 595-2**. A smoke detector will be provided at no cost to the parent/unlicensed caregiver. These standards correspond to numbers 1 - 5 on the **CFS 2026/2026-S**.

State of Illinois
Department of Children and Family Services
HOME SAFETY CHECKLIST FOR INTACT FAMILY AND PERMANENCY WORKERS

3. Preschoolers and younger children do not have access to matches or lighters.	Discussed with parent?	Yes	No	N/A
4. The stove oven or burners are not used to heat the home.	Discussed with parent?	Yes	No	

Forty percent of residential fire related deaths among children are caused by child fire-play. Up to two thirds of child fire-play victims are not the children who were playing with and/or started the fire. Supervision of children will prevent fire-play as well as other accidents. Home heating systems are a leading cause of home fires, and alternative home heating sources such as electric space heaters, kerosene heaters and wood stoves are a major cause of fire deaths. Electric space heaters should be approved by the Underwriters Laboratories (UL), have a thermostat control mechanism, and switch off automatically if the heater falls over. Heaters are not clothes dryers or tables. Keep the heater three feet from combustible materials such as furniture, curtains, blankets, paper, and walls; and unplug the heater when it is not in use. Kerosene heaters should also be UL approved. Never fill a kerosene heater with gasoline or camp stove fuel; both flare-up easily. Only use crystal clear K-1 kerosene. Use the kerosene heater in a well ventilated room and away from combustible materials. Check wood stoves for cracks and inspect legs, hinges and door seals for smooth joints and seams. Burn only seasoned wood, not green wood, artificial logs or trash. Be sure to keep combustible materials at least three feet away from a wood stove. These standards correspond to numbers 6 & 7 on the **CFS 2026/2026-S**.

5. The family's hot water does not come out of the faucet at scalding temperatures.	Discussed with parent?	Yes	No	
--	------------------------	-----	----	--

To measure your hot water temperature, place a thermometer under the stream of water from a kitchen or bathroom faucet. Hold the thermometer in the stream of water until the recorded temperature stops rising. The water temperature may be measured with outdoor, candy, or digital thermometers. Your hot water heater should be set no higher than 120° Fahrenheit to prevent scald burns to children. Children's skin is thinner than an adult's skin, and infants and young children will suffer partial and full-thickness (second and third degree) burns after ten seconds in 130° F water; four seconds in 135° F water; one second in 140° F water; and one half second in 149° F water. The correct temperature for an infant's bath water is between 96.8° and 102.2° F. Never place your child in a bath or under running water without first checking the temperature of the water. This standard corresponds to number 8 on the **CFS 2026/2026-S**.

6. Pot handles are always turned towards the back of the stove when they are on the stove.	Discussed with parent?	Yes	No	N/A
7. Electrical appliances (e.g., hair dryers and irons) are kept out of the reach of younger children.	Discussed with parent?	Yes	No	N/A
8. Electrical outlets are not overloaded.	Discussed with parent?	Yes	No	

The majority of scald burns to children, especially among those ages six months to two years, are from hot foods and liquids spilled in the kitchen. Kitchens can be especially dangerous for children during meal preparation. Hot items such as coffee, tea, water, food, pots and pans, and lit cigarettes should never be left on tables, countertops or stove tops within the reach of a child. Parents/caregivers should not hold children while they are cooking. This standard corresponds to numbers 9 and 10 on the **CFS 2026/2026-S**. Children have been burned by appliances they have pulled down onto themselves. Children have also electrocuted themselves by dropping appliances into water. These standards correspond to numbers 9-12 on the **CFS 2026/2026-S**.

State of Illinois
Department of Children and Family Services
HOME SAFETY CHECKLIST FOR INTACT FAMILY AND PERMANENCY WORKERS

9. Extension cords are not under rugs or furniture.	Discussed with parent?	Yes	No
--	------------------------	-----	----

Extension cords can wear out and spark. Worn cords can cause a fire if they spark under a rug or furniture. This standard corresponds to number 13 on the **CFS 2026/2026-S**.

10. Electrical outlets are covered when not in use.	Discussed with parent?	Yes	No
--	------------------------	-----	----

Children can be electrocuted if they place small objects in electrical outlets. This standard corresponds to number 14 on the **CFS 2026/2026-S**.

SLEEPING

Back to Sleep Literature Given: Yes No

Observed individual crib/bassinette for all infants, age 1 year or younger. Yes No

Comments:

11. The infant sleeps alone in a crib or bassinette.	Discussed with parent?	Yes	No	N/A
12. The infant does not sleep with toys, stuffed animals or pillows.	Discussed with parent?	Yes	No	N/A
13. The infant is placed on his or her back to sleep.	Discussed with parent?	Yes	No	N/A

If there is a child under the age of one in the home, the following information must be shared with the parent/caregiver.

Infants should sleep alone in a crib or bassinette. Infants sleeping in adult beds are 20 times more likely to suffocate than infants who sleep alone in cribs. The majority of infants suffocate when another person lays over them; or when they are placed on soft bedding or furniture and their face becomes trapped in the bedding; or they become wedged in a small space, such as between a mattress and a wall or between couch cushions.

If the parent/caregiver is without a crib, consult with the supervisor about loaning the family a crib until they can obtain one of their own.

When the infant is in the crib, the sides of the crib must be up; the mattress must be in the low position; the crib must not be placed near a window; window blinds and electrical cords must be out of the reach of the child; and pillows, stuffed animals and toys must never be left in the crib with the child. A child must never wear a pacifier on a ribbon or string placed around his or her neck. These standards correspond to numbers 15 - 17 on the **CFS 2026/2026-S**.

State of Illinois
Department of Children and Family Services
HOME SAFETY CHECKLIST FOR INTACT FAMILY AND PERMANENCY WORKERS

CHOKING

14. Plastic bags, pins, buttons, coins, balloons, sharp or breakable items are kept out of the reach of the children.	Discussed with parent?	Yes	No	N/A
15. Younger children only play with toys that are too large to swallow, unbreakable and without sharp edges or points.	Discussed with parent?	Yes	No	N/A

Food such as hot dogs, hard candy, grapes, popcorn and nuts are common culprits in choking deaths. Small toys, tiny rubber balls, too small pacifiers, and bits of balloons are common non-food choking hazards. Children are also at risk for becoming entangled in clothing hood ties, cords that control window blinds, toys strung across cribs, and strings used to attach pacifiers to clothing. As a general rule, any toy that can fit in a toilet paper roll is a choking hazard. These standards correspond to numbers 18 & 19 on the **CFS 2026/2026-S**.

DROWNING

Get water wise.... SUPERVISE Literature Given: Yes No

16. Infants and toddlers are never left alone when near a bath, pool, bucket or toilet.	Discussed with parent?	Yes	No	N/A
17. Baby pools are drained when not in use.	Discussed with parent?	Yes	No	N/A
18. Children are always supervised when they are near water.	Discussed with parent?	Yes	No	


A young child can drown in as little as one inch of water. More than half of the drowning victims under the age of one drown in the bathtub during a brief lapse of supervision by the child's parent or caregiver. A child will lose consciousness within two minutes following submersion. Children must always be supervised when they are near water. These standards correspond to numbers 20 - 22 on the **CFS 2026/2026-S**.

FALLS

19. Infants and toddlers are never left alone on changing tables, countertops, etc.	Discussed with parent?	Yes	No	N/A
20. Furniture that infants and younger children can climb or crawl on is not place near windows.	Discussed with parent?	Yes	No	N/A
21. Baby walkers are not used.	Discussed with parent?	Yes	No	N/A

State of Illinois
Department of Children and Family Services
HOME SAFETY CHECKLIST FOR INTACT FAMILY AND PERMANENCY WORKERS

Children are more likely to die or be severely injured from window-related falls than adults. A screen is not strong enough to hold a child who is leaning against it. Screens are designed to keep insects out of the home, not to keep children from falling out the window. Children have fallen from windows that were open as little as four inches. Children crawling or jumping on beds are at risk of falling from open windows. Supervision is the key to keeping children safe from injury. These standards correspond to numbers 23-25 on the **CFS 2026/2026-S**.



POISON				
22. Cleaning products, pesticides, all medicine and liquor are kept out of the reach of children.	Discussed with parent?	Yes	No	N/A
23. The above products (#22) are not kept in food containers or soft drink bottles.	Discussed with parent?	Yes	No	N/A
24. Paint is not chipping or peeling off the walls or woodwork of the home.	Discussed with parent?	Yes	No	N/A
25. Rodent poison and traps are kept out of the reach infants and younger children.	Discussed with parent?	Yes	No	N/A
26. Toddlers and younger children do not have access to rotten food/trash.	Discussed with parent?	Yes	No	N/A

Poisoning in childhood is frequently due to household cleaning products, medicines, vitamin supplements, plants and cosmetics. If someone in the home is involved in a methadone treatment program, the worker must ensure that the methadone is kept in a safe place, preferably in a locked box or a cabinet, **out of the reach of children and clearly marked to prevent anyone from taking it accidentally**. Workers must remind clients that methadone is a very strong drug. A small amount can kill a child or an adult who does not have a tolerance to it. If anyone should accidentally drink the methadone, **911 must be called immediately**. Workers shall verify the safe and proper storage of methadone and other substances, such as prescription and over the counter drugs, vitamins and dietary supplements, which may be fatal if taken in excess, during every regularly scheduled visit. The worker shall give a copy of the **CFS 1050-66-3, the Practice Methadone Safety brochure** (or **1050-66-3/S**) to the client and document verification of the proper storage of methadone and the above substances in a case note.

Toddlers and preschoolers may be attracted to medicines and vitamins because they resemble candy; cleaning products may look like sweet beverages; and cosmetics may smell like fruit or candy. Because young children explore the world by putting things in their mouths, poisoning is a serious risk. If you suspect your child has ingested a dangerous substance **NEVER INDUCE VOMITING**, which can do more harm than good. Immediately call the National Poison Control Center Hotline at 1-800-222-1222. The most common way that a child comes into contact with lead is through peeling or chipping paint. If you suspect that the paint in your home contains lead, contact the Illinois Department of Public Health's Childhood Lead Poisoning Prevention Program at 1-800-545-2200. These standards correspond to numbers 26-31 on the **CFS 2026/2026-S**.

State of Illinois
Department of Children and Family Services
HOME SAFETY CHECKLIST FOR INTACT FAMILY AND PERMANENCY WORKERS

VIOLENCE

Never Shake A Baby! Literature Given: Yes No
Violence Prevention Literature Given: Yes No

27. The parent/caregiver knows how to calm a crying infant.	Discussed with parent?	Yes	No	N/A
28. The parent/caregiver knows never to shake a baby.	Discussed with parent?	Yes	No	N/A

The number one reason given by a perpetrator for killing an infant is that the infant would not stop crying. Other reasons perpetrators have given for injuring a child is that the child wet or soiled him or herself or the child was perceived as misbehaving. Instruct the family that they should NEVER, NEVER SHAKE A BABY, and that they should remind their children’s caretakers that they should never shake a baby. This standard corresponds to number 32 on the **CFS 2026/2026-S**.

Recommend that the parent/caregiver do the following when their baby is crying:

- Make sure that the baby is not hungry, wet, hot or cold, sick or in pain;
- Offer the baby a pacifier;
- Rock or walk with the baby;
- Sing or talk to the baby;
- Take the baby for a ride in his or her stroller or walk the baby in a snugly body carrier;
- Play soothing music to the baby;
- Turn on a fan. Babies often like rhythmic noises;
- If the baby is overtired, lower the lights and turn off the television or radio;
- Call a friend or neighbor to baby-sit the child for short periods of time to avoid becoming frustrated and angry; and
- As a last resort, gently place the child in his or her crib, close the door and walk away. The parent/caregiver should check on the baby every five or ten minutes until the child stops crying or until the parent/caregiver is calm enough to resume comforting the child.

29. Firearms and ammunition stored in the home are kept in separate locked locations.	Discussed with parent?	Yes	No	N/A
--	------------------------	-----	----	-----

The safest home for children is one without weapons. Parents that keep firearms in the home should always store ammunition and unloaded weapons in separate, securely locked containers. The containers, if possible, should be stored in locations that are unknown and inaccessible to the children. The keys to the containers should always remain under the control of the parents. Visitors to the home, who are licensed to carry a concealed firearm, should be requested by the parents not to bring a firearm into the home or property. Fifty percent of all childhood unintentional shooting deaths occur in the home of the victim and nearly forty percent occur in the home of a relative or friend. It is difficult for children under the age of eight to distinguish between real and toy guns. Three-year-old children have the coordination and strength to pull the trigger of many handguns. In Illinois, it is illegal to allow a 14 year old to have access to firearms if that youth does not have a Firearm Owners Identification Card. This standard corresponds to number 33 on the **CFS 2026/2026-S**.

State of Illinois
Department of Children and Family Services
HOME SAFETY CHECKLIST FOR INTACT FAMILY AND PERMANENCY WORKERS

SUPERVISION

30. Children are left with an appropriate caregiver when the parent/caregiver is not home.	Discussed with parent?	Yes	No	N/A
---	------------------------	-----	----	-----

A parent's/caregiver's supervision is the most important factor in keeping children safe from injury. Review the following questions with the parent/caregiver. This standard corresponds to number 34 on the **CFS 2026/2026-S**.

The answers to these questions should be YES.

- Does this person want to watch my children?
- Will I have an opportunity to watch this person with my children before I leave?
- Is this person good with children my child's age?
- Has this person done a good job caring for other children that I know?
- Will my children be cared for in a place that is safe?
- Does this person know that a baby should never be shaken?

The answers to these questions should be NO.

- Will this person become angry if my children bother him or her?
- If this person is angry with me for leaving, will he or she take her anger out on my children?
- Does this person have a history of violence that makes him or her a danger to my children?
- Has this person had children removed from his or her custody because he or she was unable to care for them?

AUTOMOBILES

31. Illinois law requires children under the age of eight to be in car or booster seats when riding in a car.	Discussed with parent?	Yes	No	N/A
--	------------------------	-----	----	-----

Illinois state law requires any child under the age of eight to be secured in a car seat or booster seat when riding in an automobile. Children eight years of age and older must be secured with a seat belt while riding in an automobile. This standard corresponds to number 35 on the **CFS 2026/2026-S**.

32. Young children are never left unattended in an automobile.	Discussed with parent?	Yes	No	N/A
---	------------------------	-----	----	-----

The temperature in an automobile can rise extremely fast and lead to death by heat exposure. This standard corresponds to number 36 on the **CFS 2026/2026-S**.

State of Illinois
Department of Children and Family Services
HOME SAFETY CHECKLIST FOR INTACT FAMILY AND PERMANENCY WORKERS

EMERGENCY TELEPHONE NUMBERS

Help the family prepare a list of emergency telephone numbers that include their doctor or clinic, the nearest emergency room, poison control (1-800-222-1222). Post the list by the telephone or another easily accessible location if the family does not have telephone. This standard corresponds to number 37 on the **CFS 2026/2026-S**.

ILLNESS

33. The parent/caregiver can recognize signs of illness.	Discussed with parent?	Yes	No	N/A
---	------------------------	-----	----	-----

Children that are ill, or becoming ill, will show one or more of the following signs of illness:

- Irregular crying that cannot be consoled;
- Irregular sleep patterns;
- Irregular breathing or wheezing;
- Coughing or sneezing;
- Runny nose, unusual discharge;
- Rashes;
- Fever;
- Ear pain;
- Vomiting;
- Diarrhea;
- Poor appetite;
- Unusual smell/color of bowel movements;
- Abdomen pain; or
- Pain during urination

This standard corresponds to number 38 on the **CFS 2026/2026-S**.

IMMUNIZATIONS

34. The children are up to date on their immunizations.	Discussed with parent?	Yes	No	
--	------------------------	-----	----	--

The following schedule of immunizations is recommended by the American Academy of Pediatrics, Centers for Disease Control and the American Academy of Family Practitioners. This standard corresponds to number 39 on the **CFS 2026/2026-S**.

- Hepatitis B (HepB): given at birth, between 1 – 4 months and between 6 – 18 months;
- Diphtheria, Tetanus and Pertussis (DTaP): given at 2,4 & 6 months, between 15 – 18 months, and between 4 – 6 years (and Tetanus and Diphtheria (Td) should be administered between 11 – 12 years);
- Haemophilus influenza type b (Hib): given at 2,4 & 6 months and between 12 – 15 months;
- Inactivated Polio (IPV): given at 2 & 4 months, between 6 – 18 months and between 4 – 6 years;
- Measles, Mumps and Rubella (MMR): given between 12 – 15 months and between 4 – 6 years;
- Varicella (chicken pox): given between 12 – 18 months; and
- Pneumococcal (PCV): given at 2, 4 & 6 months and between 12 – 15 months

State of Illinois
Department of Children and Family Services
HOME SAFETY CHECKLIST FOR INTACT FAMILY AND PERMANENCY WORKERS

MEDICAL CARE

35. The children have physical examinations according to their doctor’s schedule or the schedule listed below.	Discussed with parent?	Yes	No
---	------------------------	-----	----

Children usually have medical checkups performed by a physician at two weeks; two, four, six, nine, 12, 15 and 18 months; two years and annually thereafter. This standard corresponds to number 40 on the **CFS 2026/2026-S**.

PETS

36. The family has pets or other animals in the home.	Yes	No
37. The pet might be classified as a breed that is associated with fighting or other crimes.	Yes	No N/A

According to the Centers for Disease Control and Prevention and the American Veterinary Medical Association:

- Every 40 seconds someone in the United States seeks medical attention for a dog bite-related injury.
- Dog attacks cause 4.5 million injuries annually; 800,000 of which require medical attention.
- At least 25 different breeds of dogs have been involved in the 238 dog bite-related fatalities in the United States.
- Pit bulls and rottweilers account for over half of these deaths.
- 24% of human deaths involve unrestrained dogs off of their owners' property.
- 58% of human deaths involved unrestrained dogs on their owners' property.

Dogs can be a danger to children! What parents should know.

- Children under 15 years of age are the most common victims, making up approximately 70% of all dog bite victims.
- Dog bites are a greater health problem for children than measles, mumps, and whooping cough combined.
- Young boys between the ages of five and nine are the most frequent victims.

Prevent dog attacks: What can pet owners do?

- Choose your dog carefully. Select a breed or type of dog that is appropriate for your family and home.
- Socialize your dog. Be sure your dog interacts with all members of the family, as well as people outside the family and with other animals.
- License your dog, obey leash laws, and take care to properly fence yards. Dogs that are allowed to roam loose outside the yard expand their "territory," and will often defend it aggressively.

State of Illinois
Department of Children and Family Services

HOME SAFETY CHECKLIST FOR INTACT FAMILY AND PERMANENCY WORKERS

- Neuter your dog. Neutering reduces aggression, especially in males. Un-neutered dogs are more than 2.6 times more likely to bite than neutered dogs.
- Train your dog. Basic obedience training is as important for the owner as it is for the dog.
- Maintain your dog's health. Not only is it the right thing for the dog, but it also reduces bite responses caused by pain or irritability.
- Be sure your dog is vaccinated for rabies and other diseases.
- Provide your dog with adequate food, shelter, exercise, and affection. Tethering or chaining dogs makes them feel vulnerable and increases their aggression.
- Don't play aggressive games with your dog.

OTHER OBSERVED HAZARDS/OTHER COMMENTS

SIGNATURES

Parent's/Caregiver's Signature: _____ Date: _____

Address: _____

Your signature acknowledges receipt of all brochures and information contained herein.

Parent/caregiver declined the opportunity to complete the checklist.

Supervisor's Signature: _____ Date: _____

Worker's Signature: _____ Date: _____

State of Illinois
Department of Children and Family Services
HOME SAFETY CHECKLIST FOR INTACT FAMILY AND PERMANENCY WORKERS

WAIVER REQUEST

Worker's Name: _____ Supervisor's Name: _____

Reason for the request:

Waiver Approved: Yes No

If no, please explain:

Worker's Signature: _____ Date: _____

Supervisor's Signature: _____ Date: _____

RE-CERTIFICATION

Date of most current Home Safety Checklist: _____ Date of supervisory approval for the re-certification: _____

Date of home review for the re-certification: _____

Worker's Signature: _____ Date: _____

Supervisor's Signature: _____ Date: _____

State of Illinois
Department of Children and Family Services
HOME SAFETY CHECKLIST FOR INTACT FAMILY AND PERMANENCY WORKERS

This page intentionally left blank.