

# queensnake

*Regina septemvittata*

Kingdom: Animalia  
Phylum: Chordata  
Class: Reptilia  
Order: Squamata  
Family: Natricidae

## ILLINOIS STATUS

common, native



© Scott Ballard

adult

## FEATURES

The queensnake averages 15 to 24 inches in length. It has a brown back and a yellow stripe along each lower side of the body. The belly is yellow with four brown stripes. The scales are keeled (ridged).

## BEHAVIORS

The queensnake may be found in the northeastern one-fourth of Illinois. This snake lives in creeks and rivers in forested regions. Although aquatic, it may take cover under rocks or brush along the water's edge. The queensnake may flatten its body when disturbed and/or release large amounts of bad-smelling musk from glands at the base of the tail. Mating occurs in spring. The female gives birth to from five to 20 young in late summer, the number depending upon her size and age. The queensnake eats mainly crayfish, especially those that have just shed their exoskeleton.

## ILLINOIS RANGE



© Illinois Department of Natural Resources. 2021. *Biodiversity of Illinois*.

Unless otherwise noted, photos and images © Illinois Department of Natural Resources.



© Brad Glorioso



© Illinois Department of Natural Resources. 2021. *Biodiversity of Illinois*.  
Unless otherwise noted, photos and images © Illinois Department of Natural Resources.



### **Aquatic Habitats**

bottomland forests; rivers and streams

### **Woodland Habitats**

bottomland forests

### **Prairie and Edge Habitats**

none