



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 20210355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 7.00

Client Sample ID: **G204** Lab Sample ID: **21G0918-01**

Matrix: Water Collected By: GK Date/Time Collected: 07/22/21 10:05

Volatile Organic Compounds by GC/MS

Method: 524.3 Prepared: 07/23/21 08:00

Units: ug/L Analyzed: 07/23/21 14:03

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
1,1,1-Trichloroethane	< 0.50		0.50
1,1,2-Trichloroethane	< 0.50		0.50
1,1-Dichloroethene	< 0.50		0.50
1,2,4-Trichlorobenzene	< 0.50		0.50
1,2-Dichlorobenzene	< 0.50		0.50
1,2-Dichloroethane	< 0.50		0.50
1,2-Dichloropropane	< 0.50		0.50
1,4-Dichlorobenzene	< 0.50		0.50
Benzene	< 0.50		0.50
Carbon tetrachloride	< 0.50		0.50
Chlorobenzene	< 0.50		0.50
cis-1,2-Dichloroethene	< 0.50		0.50
Ethylbenzene	< 0.50		0.50
Methyl tert-butyl ether	< 0.50		0.50
Methylene chloride	< 0.50		0.50
Styrene	< 0.50		0.50
Tetrachloroethene	< 0.50		0.50
Toluene	< 0.50		0.50
trans-1,2-Dichloroethene	< 0.50		0.50
Trichloroethene	< 0.50		0.50
Vinyl chloride	< 0.50		0.50
Xylenes, total	< 0.50		0.50

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
07/29/21 14:56
Page 1 of 25



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 20210355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 7.00

Client Sample ID: **G204** Lab Sample ID: **21G0918-01**

Matrix: Water Collected By: GK Date/Time Collected: 07/22/21 10:05

Volatiles Organic Compounds by Purge and Trap GC/MS

Method: 8260 Prepared: 07/26/21 08:00

Units: ug/L Analyzed: 07/26/21 17:27

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
1,1,1,2-Tetrachloroethane	< 2.0		2.0
1,1,1-Trichloroethane	< 2.0		2.0
1,1,2,2-Tetrachloroethane	< 2.0		2.0
1,1,2-Trichloroethane	< 2.0		2.0
1,1-Dichloroethane	< 2.0		2.0
1,1-Dichloroethene	< 2.0		2.0
1,1-Dichloropropene	< 2.0		2.0
1,2,3-Trichloropropane	< 2.0		2.0
1,2-Dibromoethane	< 2.0		2.0
1,2-Dichloroethane	< 2.0		2.0
1,2-Dichloropropane	< 2.0		2.0
1,3-Dichloropropane	< 2.0		2.0
2,2-Dichloropropane	< 2.0		2.0
2-Butanone (MEK)	< 10		10
2-Hexanone (MBK)	< 5.0		5.0
4-Methyl-2-pentanone (MIBK)	< 10		10
Acetone	< 10		10
Benzene	< 2.0		2.0
Bromobenzene	< 2.0		2.0
Bromochloromethane	< 2.0		2.0
Bromodichloromethane	< 2.0		2.0
Bromoform	< 5.0		5.0
Bromomethane	< 5.0	O1	5.0

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
07/29/21 14:56
Page 2 of 25



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 20210355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 7.00

Client Sample ID: **G204** Lab Sample ID: **21G0918-01**

Matrix: Water Collected By: GK Date/Time Collected: 07/22/21 10:05

Volatiles Organic Compounds by Purge and Trap GC/MS

Method: 8260 Prepared: 07/26/21 08:00

Units: ug/L Analyzed: 07/26/21 17:27

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Carbon disulfide	< 2.0		2.0
Carbon tetrachloride	< 2.0		2.0
Chlorobenzene	< 2.0		2.0
Chloroethane	< 2.0		2.0
Chloroform	< 2.0		2.0
Chloromethane	< 2.0		2.0
cis-1,2-Dichloroethene	< 2.0		2.0
cis-1,3-Dichloropropene	< 2.0		2.0
Dibromochloromethane	< 5.0		5.0
Dibromomethane	< 2.0		2.0
Ethylbenzene	< 2.0		2.0
Isopropylbenzene	< 2.0		2.0
Methyl tert-butyl ether	< 2.0		2.0
Methylene chloride	< 5.0		5.0
Styrene	< 2.0		2.0
Tetrachloroethene	< 2.0		2.0
Toluene	< 2.0		2.0
trans-1,2-Dichloroethene	< 2.0		2.0
trans-1,3-Dichloropropene	< 5.0		5.0
Trichloroethene	< 2.0		2.0
Trichlorofluoromethane	< 2.0		2.0
Vinyl chloride	< 2.0		2.0
Xylenes, total	< 2.0		2.0

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
07/29/21 14:56
Page 3 of 25



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 20210355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 7.00

Client Sample ID: **G204** Lab Sample ID: **21G0918-01**

Matrix: Water Collected By: GK Date/Time Collected: 07/22/21 10:05

Semivolatiles by GC/MS

Method: 8270 Prepared: 07/23/21 10:52

Units: ug/L Analyzed: 07/26/21 13:20

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
1,2,4,5-Tetrachlorobenzene	< 1.5		1.5
1,2,4-Trichlorobenzene	< 1.5		1.5
1,2-Dichlorobenzene	< 1.5		1.5
1,2-Dinitrobenzene	< 1.5		1.5
1,3-Dichlorobenzene	< 1.5		1.5
1,3-Dinitrobenzene	< 5.0		5.0
1,4-Dichlorobenzene	< 1.5		1.5
1,4-Dinitrobenzene	< 5.0		5.0
1-Chloronaphthalene	< 1.5		1.5
1-Naphthylamine	< 5.0		5.0
2,2-Oxybis(1-chloropropane)	< 1.5		1.5
2,3,4,6-Tetrachlorophenol	< 1.5		1.5
2,4,5-Trichlorophenol	< 1.5		1.5
2,4,6-Trichlorophenol	< 1.5		1.5
2,4-Dichlorophenol	< 1.5		1.5
2,4-Dimethylphenol	< 1.5		1.5
2,4-Dinitrophenol	< 7.5		7.5
2,4-Dinitrotoluene	< 5.0		5.0
2,6-Dichlorophenol	< 1.5		1.5
2,6-Dinitrotoluene	< 1.5		1.5
2-Chloronaphthalene	< 1.5		1.5
2-Chlorophenol	< 1.5		1.5
2-Methylnaphthalene	< 1.5		1.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
07/29/21 14:56
Page 4 of 25



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 20210355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 7.00

Client Sample ID: **G204** Lab Sample ID: **21G0918-01**

Matrix: Water Collected By: GK Date/Time Collected: 07/22/21 10:05

Semivolatiles by GC/MS

Method: 8270 Prepared: 07/23/21 10:52

Units: ug/L Analyzed: 07/26/21 13:20

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
2-Methylphenol	< 1.5		1.5
2-Naphthylamine	< 5.0		5.0
2-Nitroaniline	< 1.5		1.5
2-Nitrophenol	< 5.0		5.0
2-Picoline	< 1.5		1.5
3,3-Dichlorobenzidine	< 1.5		1.5
3-Nitroaniline	< 1.5		1.5
4,6-Dinitro-2-methylphenol	< 5.0		5.0
4-Bromophenyl phenyl ether	< 1.5		1.5
4-Chloro-3-methylphenol	< 1.5		1.5
4-Chloroaniline	< 1.5		1.5
4-Chlorophenyl phenyl ether	< 1.5		1.5
4-Methylphenol	< 1.5		1.5
4-Nitroaniline	< 1.5		1.5
4-Nitrobiphenyl	< 5.0		5.0
4-Nitrophenol	< 5.0		5.0
5-Nitroacenaphthene	< 5.0		5.0
7,12-Dimethylbenzo(a)anthracene	< 5.0		5.0
Acenaphthene	< 1.5		1.5
Acenaphthylene	< 1.5		1.5
Acetophenone	< 1.5		1.5
Anthracene	< 1.5		1.5
Azobenzene	< 1.5		1.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
07/29/21 14:56
Page 5 of 25



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 20210355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 7.00

Client Sample ID: **G204** Lab Sample ID: **21G0918-01**

Matrix: Water Collected By: GK Date/Time Collected: 07/22/21 10:05

Semivolatiles by GC/MS

Method: 8270 Prepared: 07/23/21 10:52

Units: ug/L Analyzed: 07/26/21 13:20

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Benzo(a)anthracene	< 1.5		1.5
Benzo(a)pyrene	< 1.5		1.5
Benzo(b)fluoranthene	< 1.5		1.5
Benzo(ghi)perylene	< 5.0		5.0
Benzo(k)fluoranthene	< 1.5		1.5
Bis(2-chloroethoxy)methane	< 1.5		1.5
Bis(2-chloroethyl)ether	< 1.5		1.5
Bis(2-ethylhexyl)phthalate	< 5.0		5.0
Butyl benzyl phthalate	< 5.0		5.0
Carbazole	< 1.5		1.5
Chrysene	< 1.5		1.5
Dibenzo(a,h)anthracene	< 5.0		5.0
Dibenzofuran	< 1.5		1.5
Diethylphthalate	< 1.5		1.5
Dimethylphthalate	< 1.5		1.5
Di-n-butylphthalate	< 1.5		1.5
Di-n-octylphthalate	< 5.0		5.0
Diphenylamine	< 1.5		1.5
Ethyl methanesulfonate	< 1.5		1.5
Fluoranthene	< 1.5		1.5
Fluorene	< 1.5		1.5
Hexachlorobenzene	< 1.5		1.5
Hexachlorobutadiene	< 1.5		1.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
07/29/21 14:56
Page 6 of 25



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 20210355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 7.00

Client Sample ID: **G204** Lab Sample ID: **21G0918-01**

Matrix: Water Collected By: GK Date/Time Collected: 07/22/21 10:05

Semivolatiles by GC/MS

Method: 8270 Prepared: 07/23/21 10:52

Units: ug/L Analyzed: 07/26/21 13:20

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Hexachlorocyclopentadiene	< 1.5		1.5
Hexachloroethane	< 1.5		1.5
Hexachloropropene	< 1.5		1.5
Indeno(1,2,3-cd)pyrene	< 5.0		5.0
Isodrin	< 1.5		1.5
Isophorone	< 1.5		1.5
Isosafrole	< 1.5		1.5
Mestranol	< 5.0		5.0
Methyl methanesulfonate	< 1.5		1.5
Naphthalene	< 1.5		1.5
Nitrobenzene	< 1.5		1.5
N-Nitrosodi-n-butylamine	< 1.5		1.5
N-Nitrosodi-n-propylamine	< 1.5		1.5
N-Nitrosopiperidine	< 1.5		1.5
p-Dimethylaminoazobenzene	< 1.5		1.5
Pentachlorobenzene	< 1.5		1.5
Pentachloronitrobenzene	< 1.5		1.5
Pentachlorophenol	< 5.0		5.0
Phenacetin	< 1.5		1.5
Phenanthrene	< 1.5		1.5
Phenol	< 1.5		1.5
Pronamide	< 1.5		1.5
Pyrene	< 1.5		1.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
07/29/21 14:56
Page 7 of 25



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 20210355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 7.00

Client Sample ID: **G204** Lab Sample ID: **21G0918-01**

Matrix: Water Collected By: GK Date/Time Collected: 07/22/21 10:05

Semivolatiles by GC/MS

Method: 8270 Prepared: 07/23/21 10:52

Units: ug/L Analyzed: 07/26/21 13:20

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Pyridine	< 1.5		1.5
Safrole	< 1.5		1.5

Hexavalent Chromium

Method: 218.6 Prepared: 07/22/21 15:30

Units: ug/L Analyzed: 07/22/21 15:30

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Hexavalent Chromium	< 50.0		50.0

Mercury by EPA Method 245.1

Method: 245.1 Prepared: 07/26/21 15:25

Units: ug/L Analyzed: 07/27/21 10:07

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Mercury	< 0.06		0.06

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
07/29/21 14:56
Page 8 of 25



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 20210355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 7.00

Client Sample ID: **G204** Lab Sample ID: **21G0918-01**

Matrix: Water Collected By: GK Date/Time Collected: 07/22/21 10:05

Metals (Digested Drinking Water) by EPA 200 Series Methods ICP

Method: 200.7 Prepared: 07/26/21 07:47

Units: ug/L Analyzed: 07/26/21 11:01

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Boron	39.7		25.0
Calcium	72500		300
Hardness	321000		1980
Iron	< 200		200
Magnesium	33900		300
Potassium	< 1400		1400
Silica	16800		2500
Sodium	14000		1000
Strontium	42.3		10.0

Metals by EPA 200 Series Methods ICP/MS

Method: 200.8 Prepared: 07/28/21 11:20

Units: ug/L Analyzed: 07/28/21 15:43

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Aluminum	< 100		100
Antimony	< 2.00		2.00
Arsenic	< 1.00		1.00
Barium	15.9		5.00
Beryllium	< 1.00		1.00
Cadmium	< 3.00		3.00
Chromium	< 5.00		5.00

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
07/29/21 14:56
Page 9 of 25



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 20210355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 7.00

Client Sample ID: **G204** Lab Sample ID: **21G0918-01**

Matrix: Water Collected By: GK Date/Time Collected: 07/22/21 10:05

Metals by EPA 200 Series Methods ICP/MS

Method: 200.8 Prepared: 07/28/21 11:20

Units: ug/L Analyzed: 07/28/21 15:43

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Cobalt	< 10.0		10.0
Copper	< 100		100
Lead	< 5.00		5.00
Manganese	< 15.0		15.0
Molybdenum	< 20.0		20.0
Nickel	< 25.0		25.0
Selenium	< 2.00		2.00
Silver	< 10.0		10.0
Thallium	< 2.00		2.00
Vanadium	< 5.00		5.00
Zinc	< 100		100

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
07/29/21 14:56
Page 10 of 25



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 20210355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 7.00

Client Sample ID: **G206** Lab Sample ID: **21G0918-02**

Matrix: Water Collected By: SN Date/Time Collected: 07/22/21 10:45

Volatile Organic Compounds by GC/MS

Method: 524.3 Prepared: 07/23/21 08:00

Units: ug/L Analyzed: 07/23/21 14:26

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
1,1,1-Trichloroethane	< 0.50		0.50
1,1,2-Trichloroethane	< 0.50		0.50
1,1-Dichloroethene	< 0.50		0.50
1,2,4-Trichlorobenzene	< 0.50		0.50
1,2-Dichlorobenzene	< 0.50		0.50
1,2-Dichloroethane	< 0.50		0.50
1,2-Dichloropropane	< 0.50		0.50
1,4-Dichlorobenzene	< 0.50		0.50
Benzene	< 0.50		0.50
Carbon tetrachloride	< 0.50		0.50
Chlorobenzene	< 0.50		0.50
cis-1,2-Dichloroethene	< 0.50		0.50
Ethylbenzene	< 0.50		0.50
Methyl tert-butyl ether	< 0.50		0.50
Methylene chloride	< 0.50		0.50
Styrene	< 0.50		0.50
Tetrachloroethene	< 0.50		0.50
Toluene	< 0.50		0.50
trans-1,2-Dichloroethene	< 0.50		0.50
Trichloroethene	< 0.50		0.50
Vinyl chloride	< 0.50		0.50
Xylenes, total	< 0.50		0.50

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
07/29/21 14:56
Page 11 of 25



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 20210355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 7.00

Client Sample ID: **G206** Lab Sample ID: **21G0918-02**

Matrix: Water Collected By: SN Date/Time Collected: 07/22/21 10:45

Volatiles Organic Compounds by Purge and Trap GC/MS

Method: 8260 Prepared: 07/26/21 08:00

Units: ug/L Analyzed: 07/26/21 17:50

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
1,1,1,2-Tetrachloroethane	< 2.0		2.0
1,1,1-Trichloroethane	< 2.0		2.0
1,1,2,2-Tetrachloroethane	< 2.0		2.0
1,1,2-Trichloroethane	< 2.0		2.0
1,1-Dichloroethane	< 2.0		2.0
1,1-Dichloroethene	< 2.0		2.0
1,1-Dichloropropene	< 2.0		2.0
1,2,3-Trichloropropane	< 2.0		2.0
1,2-Dibromoethane	< 2.0		2.0
1,2-Dichloroethane	< 2.0		2.0
1,2-Dichloropropane	< 2.0		2.0
1,3-Dichloropropane	< 2.0		2.0
2,2-Dichloropropane	< 2.0		2.0
2-Butanone (MEK)	< 10		10
2-Hexanone (MBK)	< 5.0		5.0
4-Methyl-2-pentanone (MIBK)	< 10		10
Acetone	< 10		10
Benzene	< 2.0		2.0
Bromobenzene	< 2.0		2.0
Bromochloromethane	< 2.0		2.0
Bromodichloromethane	< 2.0		2.0
Bromoform	< 5.0		5.0
Bromomethane	< 5.0	O1	5.0

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
07/29/21 14:56
Page 12 of 25



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 20210355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 7.00

Client Sample ID: **G206** Lab Sample ID: **21G0918-02**

Matrix: Water Collected By: SN Date/Time Collected: 07/22/21 10:45

Volatiles Organic Compounds by Purge and Trap GC/MS

Method: 8260 Prepared: 07/26/21 08:00

Units: ug/L Analyzed: 07/26/21 17:50

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Carbon disulfide	< 2.0		2.0
Carbon tetrachloride	< 2.0		2.0
Chlorobenzene	< 2.0		2.0
Chloroethane	< 2.0		2.0
Chloroform	< 2.0		2.0
Chloromethane	< 2.0		2.0
cis-1,2-Dichloroethene	< 2.0		2.0
cis-1,3-Dichloropropene	< 2.0		2.0
Dibromochloromethane	< 5.0		5.0
Dibromomethane	< 2.0		2.0
Ethylbenzene	< 2.0		2.0
Isopropylbenzene	< 2.0		2.0
Methyl tert-butyl ether	< 2.0		2.0
Methylene chloride	< 5.0		5.0
Styrene	< 2.0		2.0
Tetrachloroethene	4.3		2.0
Toluene	< 2.0		2.0
trans-1,2-Dichloroethene	< 2.0		2.0
trans-1,3-Dichloropropene	< 5.0		5.0
Trichloroethene	< 2.0		2.0
Trichlorofluoromethane	< 2.0		2.0
Vinyl chloride	< 2.0		2.0
Xylenes, total	< 2.0		2.0

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
07/29/21 14:56
Page 13 of 25



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 20210355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 7.00

Client Sample ID: **G206** Lab Sample ID: **21G0918-02**

Matrix: Water Collected By: SN Date/Time Collected: 07/22/21 10:45

Semivolatiles by GC/MS

Method: 8270 Prepared: 07/23/21 10:52

Units: ug/L Analyzed: 07/26/21 13:54

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
1,2,4,5-Tetrachlorobenzene	< 1.5		1.5
1,2,4-Trichlorobenzene	< 1.5		1.5
1,2-Dichlorobenzene	< 1.5		1.5
1,2-Dinitrobenzene	< 1.5		1.5
1,3-Dichlorobenzene	< 1.5		1.5
1,3-Dinitrobenzene	< 5.0		5.0
1,4-Dichlorobenzene	< 1.5		1.5
1,4-Dinitrobenzene	< 5.0		5.0
1-Chloronaphthalene	< 1.5		1.5
1-Naphthylamine	< 5.0		5.0
2,2-Oxybis(1-chloropropane)	< 1.5		1.5
2,3,4,6-Tetrachlorophenol	< 1.5		1.5
2,4,5-Trichlorophenol	< 1.5		1.5
2,4,6-Trichlorophenol	< 1.5		1.5
2,4-Dichlorophenol	< 1.5		1.5
2,4-Dimethylphenol	< 1.5		1.5
2,4-Dinitrophenol	< 7.5		7.5
2,4-Dinitrotoluene	< 5.0		5.0
2,6-Dichlorophenol	< 1.5		1.5
2,6-Dinitrotoluene	< 1.5		1.5
2-Chloronaphthalene	< 1.5		1.5
2-Chlorophenol	< 1.5		1.5
2-Methylnaphthalene	< 1.5		1.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
07/29/21 14:56
Page 14 of 25



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 20210355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 7.00

Client Sample ID: **G206** Lab Sample ID: **21G0918-02**

Matrix: Water Collected By: SN Date/Time Collected: 07/22/21 10:45

Semivolatiles by GC/MS

Method: 8270 Prepared: 07/23/21 10:52

Units: ug/L Analyzed: 07/26/21 13:54

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
2-Methylphenol	< 1.5		1.5
2-Naphthylamine	< 5.0		5.0
2-Nitroaniline	< 1.5		1.5
2-Nitrophenol	< 5.0		5.0
2-Picoline	< 1.5		1.5
3,3-Dichlorobenzidine	< 1.5		1.5
3-Nitroaniline	< 1.5		1.5
4,6-Dinitro-2-methylphenol	< 5.0		5.0
4-Bromophenyl phenyl ether	< 1.5		1.5
4-Chloro-3-methylphenol	< 1.5		1.5
4-Chloroaniline	< 1.5		1.5
4-Chlorophenyl phenyl ether	< 1.5		1.5
4-Methylphenol	< 1.5		1.5
4-Nitroaniline	< 1.5		1.5
4-Nitrobiphenyl	< 5.0		5.0
4-Nitrophenol	< 5.0		5.0
5-Nitroacenaphthene	< 5.0		5.0
7,12-Dimethylbenzo(a)anthracene	< 5.0		5.0
Acenaphthene	< 1.5		1.5
Acenaphthylene	< 1.5		1.5
Acetophenone	< 1.5		1.5
Anthracene	< 1.5		1.5
Azobenzene	< 1.5		1.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
07/29/21 14:56
Page 15 of 25



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 20210355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 7.00

Client Sample ID: **G206** Lab Sample ID: **21G0918-02**

Matrix: Water Collected By: SN Date/Time Collected: 07/22/21 10:45

Semivolatiles by GC/MS

Method: 8270 Prepared: 07/23/21 10:52

Units: ug/L Analyzed: 07/26/21 13:54

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Benzo(a)anthracene	< 1.5		1.5
Benzo(a)pyrene	< 1.5		1.5
Benzo(b)fluoranthene	< 1.5		1.5
Benzo(ghi)perylene	< 5.0		5.0
Benzo(k)fluoranthene	< 1.5		1.5
Bis(2-chloroethoxy)methane	< 1.5		1.5
Bis(2-chloroethyl)ether	< 1.5		1.5
Bis(2-ethylhexyl)phthalate	< 5.0		5.0
Butyl benzyl phthalate	< 5.0		5.0
Carbazole	< 1.5		1.5
Chrysene	< 1.5		1.5
Dibenzo(a,h)anthracene	< 5.0		5.0
Dibenzofuran	< 1.5		1.5
Diethylphthalate	< 1.5		1.5
Dimethylphthalate	< 1.5		1.5
Di-n-butylphthalate	< 1.5		1.5
Di-n-octylphthalate	< 5.0		5.0
Diphenylamine	< 1.5		1.5
Ethyl methanesulfonate	< 1.5		1.5
Fluoranthene	< 1.5		1.5
Fluorene	< 1.5		1.5
Hexachlorobenzene	< 1.5		1.5
Hexachlorobutadiene	< 1.5		1.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
07/29/21 14:56
Page 16 of 25



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 20210355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 7.00

Client Sample ID: **G206** Lab Sample ID: **21G0918-02**

Matrix: Water Collected By: SN Date/Time Collected: 07/22/21 10:45

Semivolatiles by GC/MS

Method: 8270 Prepared: 07/23/21 10:52

Units: ug/L Analyzed: 07/26/21 13:54

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Hexachlorocyclopentadiene	< 1.5		1.5
Hexachloroethane	< 1.5		1.5
Hexachloropropene	< 1.5		1.5
Indeno(1,2,3-cd)pyrene	< 5.0		5.0
Isodrin	< 1.5		1.5
Isophorone	< 1.5		1.5
Isosafrole	< 1.5		1.5
Mestranol	< 5.0		5.0
Methyl methanesulfonate	< 1.5		1.5
Naphthalene	< 1.5		1.5
Nitrobenzene	< 1.5		1.5
N-Nitrosodi-n-butylamine	< 1.5		1.5
N-Nitrosodi-n-propylamine	< 1.5		1.5
N-Nitrosopiperidine	< 1.5		1.5
p-Dimethylaminoazobenzene	< 1.5		1.5
Pentachlorobenzene	< 1.5		1.5
Pentachloronitrobenzene	< 1.5		1.5
Pentachlorophenol	< 5.0		5.0
Phenacetin	< 1.5		1.5
Phenanthrene	< 1.5		1.5
Phenol	< 1.5		1.5
Pronamide	< 1.5		1.5
Pyrene	< 1.5		1.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
07/29/21 14:56
Page 17 of 25



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 20210355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 7.00

Client Sample ID: **G206** Lab Sample ID: **21G0918-02**

Matrix: Water Collected By: SN Date/Time Collected: 07/22/21 10:45

Semivolatiles by GC/MS

Method: 8270 Prepared: 07/23/21 10:52

Units: ug/L Analyzed: 07/26/21 13:54

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Pyridine	< 1.5		1.5
Safrole	< 1.5		1.5

Hexavalent Chromium

Method: 218.6 Prepared: 07/22/21 15:30

Units: ug/L Analyzed: 07/22/21 15:30

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Hexavalent Chromium	< 50.0		50.0

Mercury by EPA Method 245.1

Method: 245.1 Prepared: 07/26/21 15:25

Units: ug/L Analyzed: 07/27/21 10:09

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Mercury	< 0.06		0.06

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
07/29/21 14:56
Page 18 of 25



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 20210355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 7.00

Client Sample ID: **G206** Lab Sample ID: **21G0918-02**

Matrix: Water Collected By: SN Date/Time Collected: 07/22/21 10:45

Metals (Digested Drinking Water) by EPA 200 Series Methods ICP

Method: 200.7 Prepared: 07/26/21 07:47

Units: ug/L Analyzed: 07/26/21 11:04

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Boron	62.8		25.0
Calcium	89200		300
Hardness	395000		1980
Iron	< 200		200
Magnesium	41800		300
Potassium	1700		1400
Silica	17100		2500
Sodium	69900		1000
Strontium	59.9		10.0

Metals by EPA 200 Series Methods ICP/MS

Method: 200.8 Prepared: 07/28/21 11:20

Units: ug/L Analyzed: 07/28/21 15:52

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Aluminum	< 100		100
Antimony	< 2.00		2.00
Arsenic	< 1.00		1.00
Barium	42.4		5.00
Beryllium	< 1.00		1.00
Cadmium	< 3.00		3.00
Chromium	< 5.00		5.00

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
07/29/21 14:56
Page 19 of 25



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 20210355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 7.00

Client Sample ID: **G206** Lab Sample ID: **21G0918-02**

Matrix: Water Collected By: SN Date/Time Collected: 07/22/21 10:45

Metals by EPA 200 Series Methods ICP/MS

Method: 200.8 Prepared: 07/28/21 11:20

Units: ug/L Analyzed: 07/28/21 15:52

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Cobalt	< 10.0		10.0
Copper	< 100		100
Lead	< 5.00		5.00
Manganese	< 15.0		15.0
Molybdenum	< 20.0		20.0
Nickel	< 25.0		25.0
Selenium	< 2.00		2.00
Silver	< 10.0		10.0
Thallium	< 2.00		2.00
Vanadium	< 5.00		5.00
Zinc	< 100		100

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
07/29/21 14:56
Page 20 of 25



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 20210355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 7.00

Client Sample ID: **TB2** Lab Sample ID: **21G0918-03**

Matrix: Water Collected By: Date/Time Collected: 07/22/21 10:45

Volatile Organic Compounds by GC/MS

Method: 524.3 Prepared: 07/23/21 08:00

Units: ug/L Analyzed: 07/23/21 19:08

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
1,1,1-Trichloroethane	< 0.50		0.50
1,1,2-Trichloroethane	< 0.50		0.50
1,1-Dichloroethene	< 0.50		0.50
1,2,4-Trichlorobenzene	< 0.50		0.50
1,2-Dichlorobenzene	< 0.50		0.50
1,2-Dichloroethane	< 0.50		0.50
1,2-Dichloropropane	< 0.50		0.50
1,4-Dichlorobenzene	< 0.50		0.50
Benzene	< 0.50		0.50
Carbon tetrachloride	< 0.50		0.50
Chlorobenzene	< 0.50		0.50
cis-1,2-Dichloroethene	< 0.50		0.50
Ethylbenzene	< 0.50		0.50
Methyl tert-butyl ether	< 0.50		0.50
Methylene chloride	< 0.50		0.50
Styrene	< 0.50		0.50
Tetrachloroethene	< 0.50		0.50
Toluene	< 0.50		0.50
trans-1,2-Dichloroethene	< 0.50		0.50
Trichloroethene	< 0.50		0.50
Vinyl chloride	< 0.50		0.50
Xylenes, total	< 0.50		0.50

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
07/29/21 14:56
Page 21 of 25



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 20210355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 7.00

Client Sample ID: **TB2** Lab Sample ID: **21G0918-03**

Matrix: Water Collected By: Date/Time Collected: 07/22/21 10:45

Volatiles Organic Compounds by Purge and Trap GC/MS

Method: 8260 Prepared: 07/26/21 08:00

Units: ug/L Analyzed: 07/27/21 14:30

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
1,1,1,2-Tetrachloroethane	< 2.0		2.0
1,1,1-Trichloroethane	< 2.0		2.0
1,1,2,2-Tetrachloroethane	< 2.0		2.0
1,1,2-Trichloroethane	< 2.0		2.0
1,1-Dichloroethane	< 2.0		2.0
1,1-Dichloroethene	< 2.0		2.0
1,1-Dichloropropene	< 2.0		2.0
1,2,3-Trichloropropane	< 2.0		2.0
1,2-Dibromoethane	< 2.0		2.0
1,2-Dichloroethane	< 2.0		2.0
1,2-Dichloropropane	< 2.0		2.0
1,3-Dichloropropane	< 2.0		2.0
2,2-Dichloropropane	< 2.0		2.0
2-Butanone (MEK)	< 10		10
2-Hexanone (MBK)	< 5.0		5.0
4-Methyl-2-pentanone (MIBK)	< 10		10
Acetone	< 10		10
Benzene	< 2.0		2.0
Bromobenzene	< 2.0		2.0
Bromochloromethane	< 2.0		2.0
Bromodichloromethane	< 2.0		2.0
Bromoform	< 5.0		5.0
Bromomethane	< 5.0	O1	5.0

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
07/29/21 14:56
Page 22 of 25



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 20210355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 7.00

Client Sample ID: **TB2** Lab Sample ID: **21G0918-03**

Matrix: Water Collected By: Date/Time Collected: 07/22/21 10:45

Volatiles Organic Compounds by Purge and Trap GC/MS

Method: 8260 Prepared: 07/26/21 08:00

Units: ug/L Analyzed: 07/27/21 14:30

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Carbon disulfide	< 2.0		2.0
Carbon tetrachloride	< 2.0		2.0
Chlorobenzene	< 2.0		2.0
Chloroethane	< 2.0		2.0
Chloroform	< 2.0		2.0
Chloromethane	< 2.0		2.0
cis-1,2-Dichloroethene	< 2.0		2.0
cis-1,3-Dichloropropene	< 2.0		2.0
Dibromochloromethane	< 5.0		5.0
Dibromomethane	< 2.0		2.0
Ethylbenzene	< 2.0		2.0
Isopropylbenzene	< 2.0		2.0
Methyl tert-butyl ether	< 2.0		2.0
Methylene chloride	< 5.0		5.0
Styrene	< 2.0		2.0
Tetrachloroethene	< 2.0		2.0
Toluene	< 2.0		2.0
trans-1,2-Dichloroethene	< 2.0		2.0
trans-1,3-Dichloropropene	< 5.0		5.0
Trichloroethene	< 2.0		2.0
Trichlorofluoromethane	< 2.0		2.0
Vinyl chloride	< 2.0		2.0
Xylenes, total	< 2.0		2.0

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
07/29/21 14:56
Page 23 of 25



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 20210355004

Date Received : 07/22/21

Funding Code: CS29 B50

Temperature C: 7.00

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
07/29/21 14:56
Page 24 of 25



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 20210355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 7.00

Notes and Definitions

- O1 Quality control sample failed high - possible high bias or false positive result.
- ND Analyte NOT DETECTED at or above the reporting limit
- * Non-NELAP accredited

Method 8270: There was insufficient amount of sample to perform a matrix spike duplicate analysis. NELAC and method requirements were not met.

Drinking Water Methods 200.7 and 200.8 were assigned to this work order for Metals analysis. No samples in this work order required a digestion to be performed based on turbidity.

Report Authorized by:

Tom Weiss
Laboratory Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
07/29/21 14:56
Page 25 of 25