



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 9.00

Client Sample ID: **X301-1** Lab Sample ID: **21F0726-01**

Matrix: Wipe Collected By: SN Date/Time Collected: 06/17/21 11:55

### **Metals by EPA Method 6010 - ICP**

Method: SW-846 6010 Prepared: 06/17/21 19:07

Units: ug/wipe Analyzed: 06/18/21 14:27

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
<b>Aluminum</b>	<b>81.4</b>		10.0
Antimony	< 2.00		2.00
Arsenic	< 2.00		2.00
<b>Barium</b>	<b>12.3</b>		0.50
Beryllium	< 0.10		0.10
Boron	< 5.00	B2	5.00
Cadmium	< 0.50		0.50
<b>Calcium</b>	<b>801</b>		30.0
Chromium	< 0.50		0.50
Cobalt	< 1.00		1.00
Copper	< 1.00		1.00
<b>Iron</b>	<b>118</b>		100
Lead	< 0.50		0.50
<b>Magnesium</b>	<b>293</b>		50.0
<b>Manganese</b>	<b>62.2</b>		1.50
Nickel	< 0.50		0.50
Potassium	< 200		200
Selenium	< 2.00		2.00
Silver	< 0.50		0.50
Sodium	< 200		200
<b>Strontium</b>	<b>3.48</b>		0.50
Thallium	< 2.00		2.00
Vanadium	< 0.50	B2	0.50

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
06/22/21 10:53  
Page 1 of 21



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 9.00

Client Sample ID: **X301-1** Lab Sample ID: **21F0726-01**

Matrix: Wipe Collected By: SN Date/Time Collected: 06/17/21 11:55

### **Metals by EPA Method 6010 - ICP**

Method: SW-846 6010 Prepared: 06/17/21 19:07

Units: ug/wipe Analyzed: 06/18/21 14:27

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
<b>Zinc</b>	<b>14.7</b>		5.00

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
06/22/21 10:53  
Page 2 of 21



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 9.00

Client Sample ID: **X301-2** Lab Sample ID: **21F0726-02**

Matrix: Wipe Collected By: JO Date/Time Collected: 06/17/21 12:15

### Metals by EPA Method 6010 - ICP

Method: SW-846 6010 Prepared: 06/17/21 19:07

Units: ug/wipe Analyzed: 06/18/21 14:32

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
<b>Aluminum</b>	<b>80.6</b>		10.0
Antimony	< 2.00		2.00
Arsenic	< 2.00		2.00
<b>Barium</b>	<b>11.1</b>		0.50
Beryllium	< 0.10		0.10
<b>Boron</b>	<b>5.27</b>	B2	5.00
Cadmium	< 0.50		0.50
<b>Calcium</b>	<b>590</b>		30.0
<b>Chromium</b>	<b>0.55</b>		0.50
Cobalt	< 1.00		1.00
Copper	< 1.00		1.00
<b>Iron</b>	<b>210</b>		100
Lead	< 0.50		0.50
<b>Magnesium</b>	<b>129</b>		50.0
<b>Manganese</b>	<b>66.9</b>		1.50
Nickel	< 0.50		0.50
<b>Potassium</b>	<b>216</b>		200
Selenium	< 2.00		2.00
Silver	< 0.50		0.50
Sodium	< 200		200
<b>Strontium</b>	<b>3.54</b>		0.50
Thallium	< 2.00		2.00
Vanadium	< 0.50	B2	0.50

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
06/22/21 10:53  
Page 3 of 21



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 9.00

Client Sample ID: **X301-2** Lab Sample ID: **21F0726-02**

Matrix: Wipe Collected By: JO Date/Time Collected: 06/17/21 12:15

### Metals by EPA Method 6010 - ICP

Method: SW-846 6010 Prepared: 06/17/21 19:07

Units: ug/wipe Analyzed: 06/18/21 14:32

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
<b>Zinc</b>	<b>19.9</b>		5.00

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
06/22/21 10:53  
Page 4 of 21



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 9.00

Client Sample ID: **X301-3** Lab Sample ID: **21F0726-03**

Matrix: Wipe Collected By: GK Date/Time Collected: 06/17/21 12:30

### Metals by EPA Method 6010 - ICP

Method: SW-846 6010 Prepared: 06/17/21 19:07

Units: ug/wipe Analyzed: 06/18/21 14:37

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
<b>Aluminum</b>	<b>58.3</b>		10.0
Antimony	< 2.00		2.00
Arsenic	< 2.00		2.00
<b>Barium</b>	<b>10.6</b>		0.50
Beryllium	< 0.10		0.10
Boron	< 5.00	B2	5.00
Cadmium	< 0.50		0.50
<b>Calcium</b>	<b>871</b>		30.0
<b>Chromium</b>	<b>6.15</b>		0.50
Cobalt	< 1.00		1.00
Copper	< 1.00		1.00
<b>Iron</b>	<b>462</b>		100
<b>Lead</b>	<b>2.35</b>		0.50
<b>Magnesium</b>	<b>2110</b>		50.0
<b>Manganese</b>	<b>46.7</b>		1.50
<b>Nickel</b>	<b>14.6</b>		0.50
Potassium	< 200		200
Selenium	< 2.00		2.00
Silver	< 0.50		0.50
Sodium	< 200		200
<b>Strontium</b>	<b>2.90</b>		0.50
Thallium	< 2.00		2.00
<b>Vanadium</b>	<b>30.3</b>	B2	0.50

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
06/22/21 10:53  
Page 5 of 21



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 9.00

Client Sample ID: **X301-3** Lab Sample ID: **21F0726-03**

Matrix: Wipe Collected By: GK Date/Time Collected: 06/17/21 12:30

### Metals by EPA Method 6010 - ICP

Method: SW-846 6010 Prepared: 06/17/21 19:07

Units: ug/wipe Analyzed: 06/18/21 14:37

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
<b>Zinc</b>	<b>16.1</b>		5.00

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
06/22/21 10:53  
Page 6 of 21



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 9.00

Client Sample ID: **X301-4** Lab Sample ID: **21F0726-04**

Matrix: Wipe Collected By: KJ Date/Time Collected: 06/17/21 12:50

### **Metals by EPA Method 6010 - ICP**

Method: SW-846 6010 Prepared: 06/17/21 19:07

Units: ug/wipe Analyzed: 06/18/21 14:42

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
<b>Aluminum</b>	<b>11.5</b>		10.0
Antimony	< 2.00		2.00
Arsenic	< 2.00		2.00
<b>Barium</b>	<b>11.3</b>		0.50
Beryllium	< 0.10		0.10
<b>Boron</b>	<b>5.95</b>	B2	5.00
Cadmium	< 0.50		0.50
<b>Calcium</b>	<b>421</b>		30.0
Chromium	< 0.50		0.50
Cobalt	< 1.00		1.00
Copper	< 1.00		1.00
Iron	< 100		100
Lead	< 0.50		0.50
<b>Magnesium</b>	<b>88.8</b>		50.0
<b>Manganese</b>	<b>24.1</b>		1.50
Nickel	< 0.50		0.50
Potassium	< 200		200
Selenium	< 2.00		2.00
Silver	< 0.50		0.50
Sodium	< 200		200
<b>Strontium</b>	<b>3.03</b>		0.50
Thallium	< 2.00		2.00
Vanadium	< 0.50	B2	0.50

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
06/22/21 10:53  
Page 7 of 21



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 9.00

Client Sample ID: **X301-4** Lab Sample ID: **21F0726-04**

Matrix: Wipe Collected By: KJ Date/Time Collected: 06/17/21 12:50

### Metals by EPA Method 6010 - ICP

Method: SW-846 6010 Prepared: 06/17/21 19:07

Units: ug/wipe Analyzed: 06/18/21 14:42

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
<b>Zinc</b>	<b>11.2</b>		5.00

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
06/22/21 10:53  
Page 8 of 21





## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 9.00

Client Sample ID: **X301-5** Lab Sample ID: **21F0726-05**

Matrix: Wipe Collected By: KJ Date/Time Collected: 06/17/21 13:20

### Metals by EPA Method 6010 - ICP

Method: SW-846 6010 Prepared: 06/17/21 19:07

Units: ug/wipe Analyzed: 06/18/21 14:47

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
<b>Aluminum</b>	<b>235</b>		10.0
Antimony	< 2.00		2.00
Arsenic	< 2.00		2.00
<b>Barium</b>	<b>14.1</b>		0.50
Beryllium	< 0.10		0.10
<b>Boron</b>	<b>17.8</b>	B2	5.00
Cadmium	< 0.50		0.50
<b>Calcium</b>	<b>1610</b>		30.0
Chromium	< 0.50		0.50
Cobalt	< 1.00		1.00
Copper	< 1.00		1.00
<b>Iron</b>	<b>150</b>		100
<b>Lead</b>	<b>4.84</b>		0.50
<b>Magnesium</b>	<b>545</b>		50.0
<b>Manganese</b>	<b>37.1</b>		1.50
Nickel	< 0.50		0.50
<b>Potassium</b>	<b>249</b>		200
Selenium	< 2.00		2.00
Silver	< 0.50		0.50
Sodium	< 200		200
<b>Strontium</b>	<b>5.22</b>		0.50
Thallium	< 2.00		2.00
Vanadium	< 0.50	B2	0.50

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
06/22/21 10:53  
Page 9 of 21



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 9.00

Client Sample ID: **X301-5** Lab Sample ID: **21F0726-05**

Matrix: Wipe Collected By: KJ Date/Time Collected: 06/17/21 13:20

### Metals by EPA Method 6010 - ICP

Method: SW-846 6010 Prepared: 06/17/21 19:07

Units: ug/wipe Analyzed: 06/18/21 14:47

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
<b>Zinc</b>	<b>52.5</b>		5.00

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
06/22/21 10:53  
Page 10 of 21



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 9.00

Client Sample ID: **X301-6** Lab Sample ID: **21F0726-06**

Matrix: Wipe Collected By: KJ Date/Time Collected: 06/17/21 13:35

### **Metals by EPA Method 6010 - ICP**

Method: SW-846 6010 Prepared: 06/17/21 19:07

Units: ug/wipe Analyzed: 06/18/21 14:51

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
<b>Aluminum</b>	<b>54.1</b>		10.0
Antimony	< 2.00		2.00
Arsenic	< 2.00		2.00
<b>Barium</b>	<b>12.9</b>		0.50
Beryllium	< 0.10		0.10
<b>Boron</b>	<b>5.04</b>	B2	5.00
Cadmium	< 0.50		0.50
<b>Calcium</b>	<b>704</b>		30.0
<b>Chromium</b>	<b>0.59</b>		0.50
Cobalt	< 1.00		1.00
Copper	< 1.00		1.00
<b>Iron</b>	<b>1360</b>		100
Lead	< 0.50		0.50
<b>Magnesium</b>	<b>181</b>		50.0
<b>Manganese</b>	<b>54.3</b>		1.50
Nickel	< 0.50		0.50
<b>Potassium</b>	<b>247</b>		200
Selenium	< 2.00		2.00
Silver	< 0.50		0.50
Sodium	< 200		200
<b>Strontium</b>	<b>3.78</b>		0.50
Thallium	< 2.00		2.00
Vanadium	< 0.50	B2	0.50

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
06/22/21 10:53  
Page 11 of 21



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 9.00

Client Sample ID: **X301-6** Lab Sample ID: **21F0726-06**

Matrix: Wipe Collected By: KJ Date/Time Collected: 06/17/21 13:35

### **Metals by EPA Method 6010 - ICP**

Method: SW-846 6010 Prepared: 06/17/21 19:07

Units: ug/wipe Analyzed: 06/18/21 14:51

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
<b>Zinc</b>	<b>18.2</b>		5.00

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
06/22/21 10:53  
Page 12 of 21



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 9.00

Client Sample ID: **X301-22** Lab Sample ID: **21F0726-07**

Matrix: Wipe Collected By: SN Date/Time Collected: 06/17/21 12:45

### **Metals by EPA Method 6010 - ICP**

Method: SW-846 6010 Prepared: 06/17/21 19:07

Units: ug/wipe Analyzed: 06/18/21 14:56

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
<b>Aluminum</b>	<b>70.7</b>		10.0
Antimony	< 2.00		2.00
Arsenic	< 2.00		2.00
<b>Barium</b>	<b>16.7</b>		0.50
Beryllium	< 0.10		0.10
<b>Boron</b>	<b>6.29</b>	B2	5.00
Cadmium	< 0.50		0.50
<b>Calcium</b>	<b>1360</b>		30.0
Chromium	< 0.50		0.50
Cobalt	< 1.00		1.00
Copper	< 1.00		1.00
Iron	< 100		100
Lead	< 0.50		0.50
<b>Magnesium</b>	<b>470</b>		50.0
<b>Manganese</b>	<b>31.7</b>		1.50
Nickel	< 0.50		0.50
<b>Potassium</b>	<b>231</b>		200
Selenium	< 2.00		2.00
Silver	< 0.50		0.50
Sodium	< 200		200
<b>Strontium</b>	<b>3.07</b>		0.50
Thallium	< 2.00		2.00
Vanadium	< 0.50	B2	0.50

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
06/22/21 10:53  
Page 13 of 21



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 9.00

Client Sample ID: **X301-22** Lab Sample ID: **21F0726-07**

Matrix: Wipe Collected By: SN Date/Time Collected: 06/17/21 12:45

### Metals by EPA Method 6010 - ICP

Method: SW-846 6010 Prepared: 06/17/21 19:07

Units: ug/wipe Analyzed: 06/18/21 14:56

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
<b>Zinc</b>	<b>20.1</b>		5.00

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
06/22/21 10:53  
Page 14 of 21



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 9.00

Client Sample ID: **X301-23** Lab Sample ID: **21F0726-08**

Matrix: Wipe Collected By: SN Date/Time Collected: 06/17/21 13:05

### **Metals by EPA Method 6010 - ICP**

Method: SW-846 6010 Prepared: 06/17/21 19:07

Units: ug/wipe Analyzed: 06/18/21 15:01

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
<b>Aluminum</b>	<b>64.8</b>		10.0
Antimony	< 2.00		2.00
Arsenic	< 2.00		2.00
<b>Barium</b>	<b>12.5</b>		0.50
Beryllium	< 0.10		0.10
<b>Boron</b>	<b>7.64</b>	B2	5.00
Cadmium	< 0.50		0.50
<b>Calcium</b>	<b>738</b>		30.0
Chromium	< 0.50		0.50
Cobalt	< 1.00		1.00
Copper	< 1.00		1.00
Iron	< 100		100
Lead	< 0.50		0.50
<b>Magnesium</b>	<b>230</b>		50.0
<b>Manganese</b>	<b>27.3</b>		1.50
Nickel	< 0.50		0.50
Potassium	< 200		200
Selenium	< 2.00		2.00
Silver	< 0.50		0.50
Sodium	< 200		200
<b>Strontium</b>	<b>3.01</b>		0.50
Thallium	< 2.00		2.00
Vanadium	< 0.50	B2	0.50

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
06/22/21 10:53  
Page 15 of 21



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 9.00

Client Sample ID: **X301-23** Lab Sample ID: **21F0726-08**

Matrix: Wipe Collected By: SN Date/Time Collected: 06/17/21 13:05

### Metals by EPA Method 6010 - ICP

Method: SW-846 6010 Prepared: 06/17/21 19:07

Units: ug/wipe Analyzed: 06/18/21 15:01

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
<b>Zinc</b>	<b>16.5</b>		5.00

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
06/22/21 10:53  
Page 16 of 21





## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 9.00

Client Sample ID: **X301-21** Lab Sample ID: **21F0726-09**

Matrix: Wipe Collected By: SN Date/Time Collected: 06/17/21 13:17

### Metals by EPA Method 6010 - ICP

Method: SW-846 6010 Prepared: 06/17/21 19:07

Units: ug/wipe Analyzed: 06/18/21 15:06

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
<b>Aluminum</b>	<b>192</b>		10.0
Antimony	< 2.00		2.00
Arsenic	< 2.00		2.00
<b>Barium</b>	<b>16.5</b>		0.50
Beryllium	< 0.10		0.10
<b>Boron</b>	<b>6.87</b>	B2	5.00
Cadmium	< 0.50		0.50
<b>Calcium</b>	<b>1370</b>		30.0
<b>Chromium</b>	<b>0.87</b>		0.50
Cobalt	< 1.00		1.00
Copper	< 1.00		1.00
<b>Iron</b>	<b>107</b>		100
Lead	< 0.50		0.50
<b>Magnesium</b>	<b>413</b>		50.0
<b>Manganese</b>	<b>45.3</b>		1.50
Nickel	< 0.50		0.50
<b>Potassium</b>	<b>391</b>		200
Selenium	< 2.00		2.00
Silver	< 0.50		0.50
Sodium	< 200		200
<b>Strontium</b>	<b>4.41</b>		0.50
Thallium	< 2.00		2.00
Vanadium	< 0.50	B2	0.50

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
06/22/21 10:53  
Page 17 of 21



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 9.00

Client Sample ID: **X301-21** Lab Sample ID: **21F0726-09**

Matrix: Wipe Collected By: SN Date/Time Collected: 06/17/21 13:17

### Metals by EPA Method 6010 - ICP

Method: SW-846 6010 Prepared: 06/17/21 19:07

Units: ug/wipe Analyzed: 06/18/21 15:06

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
<b>Zinc</b>	<b>41.6</b>		5.00

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
06/22/21 10:53  
Page 18 of 21



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 9.00

Client Sample ID: **X301-24** Lab Sample ID: **21F0726-10**

Matrix: Wipe Collected By: SN Date/Time Collected: 06/17/21 13:25

### **Metals by EPA Method 6010 - ICP**

Method: SW-846 6010 Prepared: 06/17/21 19:07

Units: ug/wipe Analyzed: 06/18/21 15:11

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
<b>Aluminum</b>	<b>211</b>		10.0
Antimony	< 2.00		2.00
Arsenic	< 2.00		2.00
<b>Barium</b>	<b>17.9</b>		0.50
Beryllium	< 0.10		0.10
<b>Boron</b>	<b>7.21</b>	B2	5.00
Cadmium	< 0.50		0.50
<b>Calcium</b>	<b>958</b>		30.0
<b>Chromium</b>	<b>0.56</b>		0.50
Cobalt	< 1.00		1.00
Copper	< 1.00		1.00
<b>Iron</b>	<b>136</b>		100
Lead	< 0.50		0.50
<b>Magnesium</b>	<b>326</b>		50.0
<b>Manganese</b>	<b>32.0</b>		1.50
Nickel	< 0.50		0.50
<b>Potassium</b>	<b>219</b>		200
Selenium	< 2.00		2.00
Silver	< 0.50		0.50
Sodium	< 200		200
<b>Strontium</b>	<b>4.51</b>		0.50
Thallium	< 2.00		2.00
Vanadium	< 0.50	B2	0.50

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
06/22/21 10:53  
Page 19 of 21



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 9.00

Client Sample ID: **X301-24** Lab Sample ID: **21F0726-10**

Matrix: Wipe Collected By: SN Date/Time Collected: 06/17/21 13:25

### Metals by EPA Method 6010 - ICP

Method: SW-846 6010 Prepared: 06/17/21 19:07

Units: ug/wipe Analyzed: 06/18/21 15:11

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
<b>Zinc</b>	<b>17.5</b>		5.00

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
06/22/21 10:53  
Page 20 of 21



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 9.00

#### **Notes and Definitions**

B2 The sample matrix caused possible effects on measurement. The result may be biased high.

ND Analyte NOT DETECTED at or above the reporting limit

\* Non-NELAP accredited

Report Authorized by:

Tom Weiss  
Laboratory Manager

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
06/22/21 10:53  
Page 21 of 21