



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A1 20210616** Lab Sample ID: **21F0685-01**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 19:29

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
1,2,4,5-Tetrachlorobenzene	< 7.5		7.5
1,2,4-Trichlorobenzene	< 7.5		7.5
1,2-Dichlorobenzene	< 7.5		7.5
1,2-Dinitrobenzene	< 7.5		7.5
1,3-Dichlorobenzene	< 7.5		7.5
1,3-Dinitrobenzene	< 7.5		7.5
1,4-Dichlorobenzene	< 7.5		7.5
1,4-Dinitrobenzene	< 7.5		7.5
1-Chloronaphthalene	< 7.5		7.5
1-Naphthylamine	< 7.5		7.5
2,2-Oxybis(1-chloropropane)	< 7.5		7.5
2,3,4,6-Tetrachlorophenol	< 7.5		7.5
2,4,5-Trichlorophenol	< 7.5		7.5
2,4,6-Trichlorophenol	< 7.5		7.5
2,4-Dichlorophenol	< 7.5		7.5
2,4-Dimethylphenol	< 7.5		7.5
2,4-Dinitrophenol	< 26		26
2,4-Dinitrotoluene	< 7.5		7.5
2,6-Dichlorophenol	< 7.5		7.5
2,6-Dinitrotoluene	< 7.5		7.5
2-Chloronaphthalene	< 7.5		7.5
2-Chlorophenol	< 7.5		7.5
2-Methylnaphthalene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 1 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A1 20210616** Lab Sample ID: **21F0685-01**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 19:29

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
2-Methylphenol	< 7.5		7.5
2-Naphthylamine	< 7.5		7.5
2-Nitroaniline	< 7.5		7.5
2-Nitrophenol	< 7.5		7.5
2-Picoline	< 7.5		7.5
3,3-Dichlorobenzidine	< 7.5		7.5
3-Nitroaniline	< 7.5		7.5
4,6-Dinitro-2-methylphenol	< 50		50
4-Bromophenyl phenyl ether	< 7.5		7.5
4-Chloro-3-methylphenol	< 7.5		7.5
4-Chloroaniline	< 7.5		7.5
4-Chlorophenyl phenyl ether	< 7.5		7.5
4-Methylphenol	< 7.5		7.5
4-Nitroaniline	< 7.5		7.5
4-Nitrobiphenyl	< 7.5		7.5
4-Nitrophenol	< 7.5		7.5
5-Nitroacenaphthene	< 7.5		7.5
7,12-Dimethylbenzo(a)anthracene	< 7.5		7.5
Acenaphthene	< 7.5		7.5
Acenaphthylene	< 7.5		7.5
Acetophenone	< 7.5		7.5
Anthracene	< 7.5		7.5
Azobenzene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 2 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A1 20210616** Lab Sample ID: **21F0685-01**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 19:29

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Benzo(a)anthracene	< 7.5		7.5
Benzo(a)pyrene	< 7.5		7.5
Benzo(b)fluoranthene	< 7.5		7.5
Benzo(ghi)perylene	< 7.5		7.5
Benzo(k)fluoranthene	< 7.5		7.5
Bis(2-chloroethoxy)methane	< 7.5		7.5
Bis(2-chloroethyl)ether	< 7.5		7.5
Bis(2-ethylhexyl)phthalate	< 26		26
Butyl benzyl phthalate	< 7.5		7.5
Carbazole	< 7.5		7.5
Chrysene	< 7.5		7.5
Dibenzo(a,h)anthracene	< 7.5		7.5
Dibenzofuran	< 7.5		7.5
Diethylphthalate	< 7.5		7.5
Dimethylphthalate	< 7.5		7.5
Di-n-butylphthalate	< 7.5		7.5
Di-n-octylphthalate	< 7.5		7.5
Diphenylamine	< 7.5		7.5
Ethyl methanesulfonate	< 7.5		7.5
Fluoranthene	< 7.5		7.5
Fluorene	< 7.5		7.5
Hexachlorobenzene	< 7.5		7.5
Hexachlorobutadiene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 3 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A1 20210616** Lab Sample ID: **21F0685-01**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 19:29

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Hexachlorocyclopentadiene	< 26		26
Hexachloroethane	< 7.5		7.5
Hexachloropropene	< 7.5		7.5
Indeno(1,2,3-cd)pyrene	< 7.5		7.5
Isodrin	< 7.5		7.5
Isophorone	< 7.5		7.5
Isosafrole	< 7.5		7.5
Mestranol	< 7.5		7.5
Methyl methanesulfonate	< 7.5		7.5
Naphthalene	< 7.5		7.5
Nitrobenzene	< 7.5		7.5
N-Nitrosodi-n-butylamine	< 7.5		7.5
N-Nitrosodi-n-propylamine	< 7.5		7.5
N-Nitrosopiperidine	< 7.5		7.5
p-Dimethylaminoazobenzene	< 7.5		7.5
Pentachlorobenzene	< 7.5		7.5
Pentachloronitrobenzene	< 7.5		7.5
Pentachlorophenol	< 75		75
Phenacetin	< 7.5		7.5
Phenanthrene	< 7.5		7.5
Phenol	< 7.5		7.5
Pronamide	< 7.5		7.5
Pyrene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 4 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A1 20210616** Lab Sample ID: **21F0685-01**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 19:29

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Pyridine	< 7.5		7.5
Safrole	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 5 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A2 20210616** Lab Sample ID: **21F0685-02**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 20:03

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
1,2,4,5-Tetrachlorobenzene	< 7.5		7.5
1,2,4-Trichlorobenzene	< 7.5		7.5
1,2-Dichlorobenzene	< 7.5		7.5
1,2-Dinitrobenzene	< 7.5		7.5
1,3-Dichlorobenzene	< 7.5		7.5
1,3-Dinitrobenzene	< 7.5		7.5
1,4-Dichlorobenzene	< 7.5		7.5
1,4-Dinitrobenzene	< 7.5		7.5
1-Chloronaphthalene	< 7.5		7.5
1-Naphthylamine	< 7.5		7.5
2,2-Oxybis(1-chloropropane)	< 7.5		7.5
2,3,4,6-Tetrachlorophenol	< 7.5		7.5
2,4,5-Trichlorophenol	< 7.5		7.5
2,4,6-Trichlorophenol	< 7.5		7.5
2,4-Dichlorophenol	< 7.5		7.5
2,4-Dimethylphenol	< 7.5		7.5
2,4-Dinitrophenol	< 26		26
2,4-Dinitrotoluene	< 7.5		7.5
2,6-Dichlorophenol	< 7.5		7.5
2,6-Dinitrotoluene	< 7.5		7.5
2-Chloronaphthalene	< 7.5		7.5
2-Chlorophenol	< 7.5		7.5
2-Methylnaphthalene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 6 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A2 20210616** Lab Sample ID: **21F0685-02**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 20:03

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
2-Methylphenol	< 7.5		7.5
2-Naphthylamine	< 7.5		7.5
2-Nitroaniline	< 7.5		7.5
2-Nitrophenol	< 7.5		7.5
2-Picoline	< 7.5		7.5
3,3-Dichlorobenzidine	< 7.5		7.5
3-Nitroaniline	< 7.5		7.5
4,6-Dinitro-2-methylphenol	< 50		50
4-Bromophenyl phenyl ether	< 7.5		7.5
4-Chloro-3-methylphenol	< 7.5		7.5
4-Chloroaniline	< 7.5		7.5
4-Chlorophenyl phenyl ether	< 7.5		7.5
4-Methylphenol	< 7.5		7.5
4-Nitroaniline	< 7.5		7.5
4-Nitrobiphenyl	< 7.5		7.5
4-Nitrophenol	< 7.5		7.5
5-Nitroacenaphthene	< 7.5		7.5
7,12-Dimethylbenzo(a)anthracene	< 7.5		7.5
Acenaphthene	< 7.5		7.5
Acenaphthylene	< 7.5		7.5
Acetophenone	< 7.5		7.5
Anthracene	< 7.5		7.5
Azobenzene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 7 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A2 20210616** Lab Sample ID: **21F0685-02**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 20:03

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Benzo(a)anthracene	< 7.5		7.5
Benzo(a)pyrene	< 7.5		7.5
Benzo(b)fluoranthene	< 7.5		7.5
Benzo(ghi)perylene	< 7.5		7.5
Benzo(k)fluoranthene	< 7.5		7.5
Bis(2-chloroethoxy)methane	< 7.5		7.5
Bis(2-chloroethyl)ether	< 7.5		7.5
Bis(2-ethylhexyl)phthalate	< 26		26
Butyl benzyl phthalate	< 7.5		7.5
Carbazole	< 7.5		7.5
Chrysene	< 7.5		7.5
Dibenzo(a,h)anthracene	< 7.5		7.5
Dibenzofuran	< 7.5		7.5
Diethylphthalate	< 7.5		7.5
Dimethylphthalate	< 7.5		7.5
Di-n-butylphthalate	< 7.5		7.5
Di-n-octylphthalate	< 7.5		7.5
Diphenylamine	< 7.5		7.5
Ethyl methanesulfonate	< 7.5		7.5
Fluoranthene	< 7.5		7.5
Fluorene	< 7.5		7.5
Hexachlorobenzene	< 7.5		7.5
Hexachlorobutadiene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 8 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A2 20210616** Lab Sample ID: **21F0685-02**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 20:03

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Hexachlorocyclopentadiene	< 26		26
Hexachloroethane	< 7.5		7.5
Hexachloropropene	< 7.5		7.5
Indeno(1,2,3-cd)pyrene	< 7.5		7.5
Isodrin	< 7.5		7.5
Isophorone	< 7.5		7.5
Isosafrole	< 7.5		7.5
Mestranol	< 7.5		7.5
Methyl methanesulfonate	< 7.5		7.5
Naphthalene	< 7.5		7.5
Nitrobenzene	< 7.5		7.5
N-Nitrosodi-n-butylamine	< 7.5		7.5
N-Nitrosodi-n-propylamine	< 7.5		7.5
N-Nitrosopiperidine	< 7.5		7.5
p-Dimethylaminoazobenzene	< 7.5		7.5
Pentachlorobenzene	< 7.5		7.5
Pentachloronitrobenzene	< 7.5		7.5
Pentachlorophenol	< 75		75
Phenacetin	< 7.5		7.5
Phenanthrene	< 7.5		7.5
Phenol	< 7.5		7.5
Pronamide	< 7.5		7.5
Pyrene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 9 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A2 20210616** Lab Sample ID: **21F0685-02**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 20:03

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Pyridine	< 7.5		7.5
Safrole	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 10 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A3 20210616** Lab Sample ID: **21F0685-03**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 20:38

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
1,2,4,5-Tetrachlorobenzene	< 7.5		7.5
1,2,4-Trichlorobenzene	< 7.5		7.5
1,2-Dichlorobenzene	< 7.5		7.5
1,2-Dinitrobenzene	< 7.5		7.5
1,3-Dichlorobenzene	< 7.5		7.5
1,3-Dinitrobenzene	< 7.5		7.5
1,4-Dichlorobenzene	< 7.5		7.5
1,4-Dinitrobenzene	< 7.5		7.5
1-Chloronaphthalene	< 7.5		7.5
1-Naphthylamine	< 7.5		7.5
2,2-Oxybis(1-chloropropane)	< 7.5		7.5
2,3,4,6-Tetrachlorophenol	< 7.5		7.5
2,4,5-Trichlorophenol	< 7.5		7.5
2,4,6-Trichlorophenol	< 7.5		7.5
2,4-Dichlorophenol	< 7.5		7.5
2,4-Dimethylphenol	< 7.5		7.5
2,4-Dinitrophenol	< 26		26
2,4-Dinitrotoluene	< 7.5		7.5
2,6-Dichlorophenol	< 7.5		7.5
2,6-Dinitrotoluene	< 7.5		7.5
2-Chloronaphthalene	< 7.5		7.5
2-Chlorophenol	< 7.5		7.5
2-Methylnaphthalene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 11 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A3 20210616** Lab Sample ID: **21F0685-03**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 20:38

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
2-Methylphenol	< 7.5		7.5
2-Naphthylamine	< 7.5		7.5
2-Nitroaniline	< 7.5		7.5
2-Nitrophenol	< 7.5		7.5
2-Picoline	< 7.5		7.5
3,3-Dichlorobenzidine	< 7.5		7.5
3-Nitroaniline	< 7.5		7.5
4,6-Dinitro-2-methylphenol	< 50		50
4-Bromophenyl phenyl ether	< 7.5		7.5
4-Chloro-3-methylphenol	< 7.5		7.5
4-Chloroaniline	< 7.5		7.5
4-Chlorophenyl phenyl ether	< 7.5		7.5
4-Methylphenol	< 7.5		7.5
4-Nitroaniline	< 7.5		7.5
4-Nitrobiphenyl	< 7.5		7.5
4-Nitrophenol	< 7.5		7.5
5-Nitroacenaphthene	< 7.5		7.5
7,12-Dimethylbenzo(a)anthracene	< 7.5		7.5
Acenaphthene	< 7.5		7.5
Acenaphthylene	< 7.5		7.5
Acetophenone	< 7.5		7.5
Anthracene	< 7.5		7.5
Azobenzene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 12 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A3 20210616** Lab Sample ID: **21F0685-03**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 20:38

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Benzo(a)anthracene	< 7.5		7.5
Benzo(a)pyrene	< 7.5		7.5
Benzo(b)fluoranthene	< 7.5		7.5
Benzo(ghi)perylene	< 7.5		7.5
Benzo(k)fluoranthene	< 7.5		7.5
Bis(2-chloroethoxy)methane	< 7.5		7.5
Bis(2-chloroethyl)ether	< 7.5		7.5
Bis(2-ethylhexyl)phthalate	< 26		26
Butyl benzyl phthalate	< 7.5		7.5
Carbazole	< 7.5		7.5
Chrysene	< 7.5		7.5
Dibenzo(a,h)anthracene	< 7.5		7.5
Dibenzofuran	< 7.5		7.5
Diethylphthalate	< 7.5		7.5
Dimethylphthalate	< 7.5		7.5
Di-n-butylphthalate	< 7.5		7.5
Di-n-octylphthalate	< 7.5		7.5
Diphenylamine	< 7.5		7.5
Ethyl methanesulfonate	< 7.5		7.5
Fluoranthene	< 7.5		7.5
Fluorene	< 7.5		7.5
Hexachlorobenzene	< 7.5		7.5
Hexachlorobutadiene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 13 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A3 20210616** Lab Sample ID: **21F0685-03**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 20:38

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Hexachlorocyclopentadiene	< 26		26
Hexachloroethane	< 7.5		7.5
Hexachloropropene	< 7.5		7.5
Indeno(1,2,3-cd)pyrene	< 7.5		7.5
Isodrin	< 7.5		7.5
Isophorone	< 7.5		7.5
Isosafrole	< 7.5		7.5
Mestranol	< 7.5		7.5
Methyl methanesulfonate	< 7.5		7.5
Naphthalene	< 7.5		7.5
Nitrobenzene	< 7.5		7.5
N-Nitrosodi-n-butylamine	< 7.5		7.5
N-Nitrosodi-n-propylamine	< 7.5		7.5
N-Nitrosopiperidine	< 7.5		7.5
p-Dimethylaminoazobenzene	< 7.5		7.5
Pentachlorobenzene	< 7.5		7.5
Pentachloronitrobenzene	< 7.5		7.5
Pentachlorophenol	< 75		75
Phenacetin	< 7.5		7.5
Phenanthrene	< 7.5		7.5
Phenol	< 7.5		7.5
Pronamide	< 7.5		7.5
Pyrene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 14 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A3 20210616** Lab Sample ID: **21F0685-03**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 20:38

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Pyridine	< 7.5		7.5
Safrole	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 15 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A4 20210616** Lab Sample ID: **21F0685-04**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 21:12

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
1,2,4,5-Tetrachlorobenzene	< 7.5		7.5
1,2,4-Trichlorobenzene	< 7.5		7.5
1,2-Dichlorobenzene	< 7.5		7.5
1,2-Dinitrobenzene	< 7.5		7.5
1,3-Dichlorobenzene	< 7.5		7.5
1,3-Dinitrobenzene	< 7.5		7.5
1,4-Dichlorobenzene	< 7.5		7.5
1,4-Dinitrobenzene	< 7.5		7.5
1-Chloronaphthalene	< 7.5		7.5
1-Naphthylamine	< 7.5		7.5
2,2-Oxybis(1-chloropropane)	< 7.5		7.5
2,3,4,6-Tetrachlorophenol	< 7.5		7.5
2,4,5-Trichlorophenol	< 7.5		7.5
2,4,6-Trichlorophenol	< 7.5		7.5
2,4-Dichlorophenol	< 7.5		7.5
2,4-Dimethylphenol	< 7.5		7.5
2,4-Dinitrophenol	< 26		26
2,4-Dinitrotoluene	< 7.5		7.5
2,6-Dichlorophenol	< 7.5		7.5
2,6-Dinitrotoluene	< 7.5		7.5
2-Chloronaphthalene	< 7.5		7.5
2-Chlorophenol	< 7.5		7.5
2-Methylnaphthalene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 16 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A4 20210616** Lab Sample ID: **21F0685-04**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 21:12

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
2-Methylphenol	< 7.5		7.5
2-Naphthylamine	< 7.5		7.5
2-Nitroaniline	< 7.5		7.5
2-Nitrophenol	< 7.5		7.5
2-Picoline	< 7.5		7.5
3,3-Dichlorobenzidine	< 7.5		7.5
3-Nitroaniline	< 7.5		7.5
4,6-Dinitro-2-methylphenol	< 50		50
4-Bromophenyl phenyl ether	< 7.5		7.5
4-Chloro-3-methylphenol	< 7.5		7.5
4-Chloroaniline	< 7.5		7.5
4-Chlorophenyl phenyl ether	< 7.5		7.5
4-Methylphenol	< 7.5		7.5
4-Nitroaniline	< 7.5		7.5
4-Nitrobiphenyl	< 7.5		7.5
4-Nitrophenol	< 7.5		7.5
5-Nitroacenaphthene	< 7.5		7.5
7,12-Dimethylbenzo(a)anthracene	< 7.5		7.5
Acenaphthene	< 7.5		7.5
Acenaphthylene	< 7.5		7.5
Acetophenone	< 7.5		7.5
Anthracene	< 7.5		7.5
Azobenzene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 17 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A4 20210616** Lab Sample ID: **21F0685-04**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 21:12

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Benzo(a)anthracene	< 7.5		7.5
Benzo(a)pyrene	< 7.5		7.5
Benzo(b)fluoranthene	< 7.5		7.5
Benzo(ghi)perylene	< 7.5		7.5
Benzo(k)fluoranthene	< 7.5		7.5
Bis(2-chloroethoxy)methane	< 7.5		7.5
Bis(2-chloroethyl)ether	< 7.5		7.5
Bis(2-ethylhexyl)phthalate	< 26		26
Butyl benzyl phthalate	< 7.5		7.5
Carbazole	< 7.5		7.5
Chrysene	< 7.5		7.5
Dibenzo(a,h)anthracene	< 7.5		7.5
Dibenzofuran	< 7.5		7.5
Diethylphthalate	< 7.5		7.5
Dimethylphthalate	< 7.5		7.5
Di-n-butylphthalate	< 7.5		7.5
Di-n-octylphthalate	< 7.5		7.5
Diphenylamine	< 7.5		7.5
Ethyl methanesulfonate	< 7.5		7.5
Fluoranthene	< 7.5		7.5
Fluorene	< 7.5		7.5
Hexachlorobenzene	< 7.5		7.5
Hexachlorobutadiene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 18 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A4 20210616** Lab Sample ID: **21F0685-04**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 21:12

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Hexachlorocyclopentadiene	< 26		26
Hexachloroethane	< 7.5		7.5
Hexachloropropene	< 7.5		7.5
Indeno(1,2,3-cd)pyrene	< 7.5		7.5
Isodrin	< 7.5		7.5
Isophorone	< 7.5		7.5
Isosafrole	< 7.5		7.5
Mestranol	< 7.5		7.5
Methyl methanesulfonate	< 7.5		7.5
Naphthalene	< 7.5		7.5
Nitrobenzene	< 7.5		7.5
N-Nitrosodi-n-butylamine	< 7.5		7.5
N-Nitrosodi-n-propylamine	< 7.5		7.5
N-Nitrosopiperidine	< 7.5		7.5
p-Dimethylaminoazobenzene	< 7.5		7.5
Pentachlorobenzene	< 7.5		7.5
Pentachloronitrobenzene	< 7.5		7.5
Pentachlorophenol	< 75		75
Phenacetin	< 7.5		7.5
Phenanthrene	< 7.5		7.5
Phenol	< 7.5		7.5
Pronamide	< 7.5		7.5
Pyrene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 19 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A4 20210616** Lab Sample ID: **21F0685-04**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 21:12

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Pyridine	< 7.5		7.5
Safrole	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 20 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A5 20210616** Lab Sample ID: **21F0685-05**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 21:46

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
1,2,4,5-Tetrachlorobenzene	< 7.5		7.5
1,2,4-Trichlorobenzene	< 7.5		7.5
1,2-Dichlorobenzene	< 7.5		7.5
1,2-Dinitrobenzene	< 7.5		7.5
1,3-Dichlorobenzene	< 7.5		7.5
1,3-Dinitrobenzene	< 7.5		7.5
1,4-Dichlorobenzene	< 7.5		7.5
1,4-Dinitrobenzene	< 7.5		7.5
1-Chloronaphthalene	< 7.5		7.5
1-Naphthylamine	< 7.5		7.5
2,2-Oxybis(1-chloropropane)	< 7.5		7.5
2,3,4,6-Tetrachlorophenol	< 7.5		7.5
2,4,5-Trichlorophenol	< 7.5		7.5
2,4,6-Trichlorophenol	< 7.5		7.5
2,4-Dichlorophenol	< 7.5		7.5
2,4-Dimethylphenol	< 7.5		7.5
2,4-Dinitrophenol	< 26		26
2,4-Dinitrotoluene	< 7.5		7.5
2,6-Dichlorophenol	< 7.5		7.5
2,6-Dinitrotoluene	< 7.5		7.5
2-Chloronaphthalene	< 7.5		7.5
2-Chlorophenol	< 7.5		7.5
2-Methylnaphthalene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 21 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A5 20210616** Lab Sample ID: **21F0685-05**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 21:46

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
2-Methylphenol	< 7.5		7.5
2-Naphthylamine	< 7.5		7.5
2-Nitroaniline	< 7.5		7.5
2-Nitrophenol	< 7.5		7.5
2-Picoline	< 7.5		7.5
3,3-Dichlorobenzidine	< 7.5		7.5
3-Nitroaniline	< 7.5		7.5
4,6-Dinitro-2-methylphenol	< 50		50
4-Bromophenyl phenyl ether	< 7.5		7.5
4-Chloro-3-methylphenol	< 7.5		7.5
4-Chloroaniline	< 7.5		7.5
4-Chlorophenyl phenyl ether	< 7.5		7.5
4-Methylphenol	< 7.5		7.5
4-Nitroaniline	< 7.5		7.5
4-Nitrobiphenyl	< 7.5		7.5
4-Nitrophenol	< 7.5		7.5
5-Nitroacenaphthene	< 7.5		7.5
7,12-Dimethylbenzo(a)anthracene	< 7.5		7.5
Acenaphthene	< 7.5		7.5
Acenaphthylene	< 7.5		7.5
Acetophenone	< 7.5		7.5
Anthracene	< 7.5		7.5
Azobenzene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 22 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A5 20210616** Lab Sample ID: **21F0685-05**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 21:46

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Benzo(a)anthracene	< 7.5		7.5
Benzo(a)pyrene	< 7.5		7.5
Benzo(b)fluoranthene	< 7.5		7.5
Benzo(ghi)perylene	< 7.5		7.5
Benzo(k)fluoranthene	< 7.5		7.5
Bis(2-chloroethoxy)methane	< 7.5		7.5
Bis(2-chloroethyl)ether	< 7.5		7.5
Bis(2-ethylhexyl)phthalate	< 26		26
Butyl benzyl phthalate	< 7.5		7.5
Carbazole	< 7.5		7.5
Chrysene	< 7.5		7.5
Dibenzo(a,h)anthracene	< 7.5		7.5
Dibenzofuran	< 7.5		7.5
Diethylphthalate	< 7.5		7.5
Dimethylphthalate	< 7.5		7.5
Di-n-butylphthalate	< 7.5		7.5
Di-n-octylphthalate	< 7.5		7.5
Diphenylamine	< 7.5		7.5
Ethyl methanesulfonate	< 7.5		7.5
Fluoranthene	< 7.5		7.5
Fluorene	< 7.5		7.5
Hexachlorobenzene	< 7.5		7.5
Hexachlorobutadiene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 23 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A5 20210616** Lab Sample ID: **21F0685-05**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 21:46

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Hexachlorocyclopentadiene	< 26		26
Hexachloroethane	< 7.5		7.5
Hexachloropropene	< 7.5		7.5
Indeno(1,2,3-cd)pyrene	< 7.5		7.5
Isodrin	< 7.5		7.5
Isophorone	< 7.5		7.5
Isosafrole	< 7.5		7.5
Mestranol	< 7.5		7.5
Methyl methanesulfonate	< 7.5		7.5
Naphthalene	< 7.5		7.5
Nitrobenzene	< 7.5		7.5
N-Nitrosodi-n-butylamine	< 7.5		7.5
N-Nitrosodi-n-propylamine	< 7.5		7.5
N-Nitrosopiperidine	< 7.5		7.5
p-Dimethylaminoazobenzene	< 7.5		7.5
Pentachlorobenzene	< 7.5		7.5
Pentachloronitrobenzene	< 7.5		7.5
Pentachlorophenol	< 75		75
Phenacetin	< 7.5		7.5
Phenanthrene	< 7.5		7.5
Phenol	< 7.5		7.5
Pronamide	< 7.5		7.5
Pyrene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 24 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A5 20210616** Lab Sample ID: **21F0685-05**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 21:46

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Pyridine	< 7.5		7.5
Safrole	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 25 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A6 20210616** Lab Sample ID: **21F0685-06**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 22:21

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
1,2,4,5-Tetrachlorobenzene	< 7.5		7.5
1,2,4-Trichlorobenzene	< 7.5		7.5
1,2-Dichlorobenzene	< 7.5		7.5
1,2-Dinitrobenzene	< 7.5		7.5
1,3-Dichlorobenzene	< 7.5		7.5
1,3-Dinitrobenzene	< 7.5		7.5
1,4-Dichlorobenzene	< 7.5		7.5
1,4-Dinitrobenzene	< 7.5		7.5
1-Chloronaphthalene	< 7.5		7.5
1-Naphthylamine	< 7.5		7.5
2,2-Oxybis(1-chloropropane)	< 7.5		7.5
2,3,4,6-Tetrachlorophenol	< 7.5		7.5
2,4,5-Trichlorophenol	< 7.5		7.5
2,4,6-Trichlorophenol	< 7.5		7.5
2,4-Dichlorophenol	< 7.5		7.5
2,4-Dimethylphenol	< 7.5		7.5
2,4-Dinitrophenol	< 26		26
2,4-Dinitrotoluene	< 7.5		7.5
2,6-Dichlorophenol	< 7.5		7.5
2,6-Dinitrotoluene	< 7.5		7.5
2-Chloronaphthalene	< 7.5		7.5
2-Chlorophenol	< 7.5		7.5
2-Methylnaphthalene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 26 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A6 20210616** Lab Sample ID: **21F0685-06**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 22:21

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
2-Methylphenol	< 7.5		7.5
2-Naphthylamine	< 7.5		7.5
2-Nitroaniline	< 7.5		7.5
2-Nitrophenol	< 7.5		7.5
2-Picoline	< 7.5		7.5
3,3-Dichlorobenzidine	< 7.5		7.5
3-Nitroaniline	< 7.5		7.5
4,6-Dinitro-2-methylphenol	< 50		50
4-Bromophenyl phenyl ether	< 7.5		7.5
4-Chloro-3-methylphenol	< 7.5		7.5
4-Chloroaniline	< 7.5		7.5
4-Chlorophenyl phenyl ether	< 7.5		7.5
4-Methylphenol	< 7.5		7.5
4-Nitroaniline	< 7.5		7.5
4-Nitrobiphenyl	< 7.5		7.5
4-Nitrophenol	< 7.5		7.5
5-Nitroacenaphthene	< 7.5		7.5
7,12-Dimethylbenzo(a)anthracene	< 7.5		7.5
Acenaphthene	< 7.5		7.5
Acenaphthylene	< 7.5		7.5
Acetophenone	< 7.5		7.5
Anthracene	< 7.5		7.5
Azobenzene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 27 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A6 20210616** Lab Sample ID: **21F0685-06**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 22:21

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Benzo(a)anthracene	< 7.5		7.5
Benzo(a)pyrene	< 7.5		7.5
Benzo(b)fluoranthene	< 7.5		7.5
Benzo(ghi)perylene	< 7.5		7.5
Benzo(k)fluoranthene	< 7.5		7.5
Bis(2-chloroethoxy)methane	< 7.5		7.5
Bis(2-chloroethyl)ether	< 7.5		7.5
Bis(2-ethylhexyl)phthalate	< 26		26
Butyl benzyl phthalate	< 7.5		7.5
Carbazole	< 7.5		7.5
Chrysene	< 7.5		7.5
Dibenzo(a,h)anthracene	< 7.5		7.5
Dibenzofuran	< 7.5		7.5
Diethylphthalate	< 7.5		7.5
Dimethylphthalate	< 7.5		7.5
Di-n-butylphthalate	< 7.5		7.5
Di-n-octylphthalate	< 7.5		7.5
Diphenylamine	< 7.5		7.5
Ethyl methanesulfonate	< 7.5		7.5
Fluoranthene	< 7.5		7.5
Fluorene	< 7.5		7.5
Hexachlorobenzene	< 7.5		7.5
Hexachlorobutadiene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 28 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A6 20210616** Lab Sample ID: **21F0685-06**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 22:21

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Hexachlorocyclopentadiene	< 26		26
Hexachloroethane	< 7.5		7.5
Hexachloropropene	< 7.5		7.5
Indeno(1,2,3-cd)pyrene	< 7.5		7.5
Isodrin	< 7.5		7.5
Isophorone	< 7.5		7.5
Isosafrole	< 7.5		7.5
Mestranol	< 7.5		7.5
Methyl methanesulfonate	< 7.5		7.5
Naphthalene	< 7.5		7.5
Nitrobenzene	< 7.5		7.5
N-Nitrosodi-n-butylamine	< 7.5		7.5
N-Nitrosodi-n-propylamine	< 7.5		7.5
N-Nitrosopiperidine	< 7.5		7.5
p-Dimethylaminoazobenzene	< 7.5		7.5
Pentachlorobenzene	< 7.5		7.5
Pentachloronitrobenzene	< 7.5		7.5
Pentachlorophenol	< 75		75
Phenacetin	< 7.5		7.5
Phenanthrene	< 7.5		7.5
Phenol	< 7.5		7.5
Pronamide	< 7.5		7.5
Pyrene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 29 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A6 20210616** Lab Sample ID: **21F0685-06**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 22:21

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Pyridine	< 7.5		7.5
Safrole	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 30 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A7 20210616** Lab Sample ID: **21F0685-07**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 22:55

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
1,2,4,5-Tetrachlorobenzene	< 7.5		7.5
1,2,4-Trichlorobenzene	< 7.5		7.5
1,2-Dichlorobenzene	< 7.5		7.5
1,2-Dinitrobenzene	< 7.5		7.5
1,3-Dichlorobenzene	< 7.5		7.5
1,3-Dinitrobenzene	< 7.5		7.5
1,4-Dichlorobenzene	< 7.5		7.5
1,4-Dinitrobenzene	< 7.5		7.5
1-Chloronaphthalene	< 7.5		7.5
1-Naphthylamine	< 7.5		7.5
2,2-Oxybis(1-chloropropane)	< 7.5		7.5
2,3,4,6-Tetrachlorophenol	< 7.5		7.5
2,4,5-Trichlorophenol	< 7.5		7.5
2,4,6-Trichlorophenol	< 7.5		7.5
2,4-Dichlorophenol	< 7.5		7.5
2,4-Dimethylphenol	< 7.5		7.5
2,4-Dinitrophenol	< 26		26
2,4-Dinitrotoluene	< 7.5		7.5
2,6-Dichlorophenol	< 7.5		7.5
2,6-Dinitrotoluene	< 7.5		7.5
2-Chloronaphthalene	< 7.5		7.5
2-Chlorophenol	< 7.5		7.5
2-Methylnaphthalene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 31 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A7 20210616** Lab Sample ID: **21F0685-07**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 22:55

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
2-Methylphenol	< 7.5		7.5
2-Naphthylamine	< 7.5		7.5
2-Nitroaniline	< 7.5		7.5
2-Nitrophenol	< 7.5		7.5
2-Picoline	< 7.5		7.5
3,3-Dichlorobenzidine	< 7.5		7.5
3-Nitroaniline	< 7.5		7.5
4,6-Dinitro-2-methylphenol	< 50		50
4-Bromophenyl phenyl ether	< 7.5		7.5
4-Chloro-3-methylphenol	< 7.5		7.5
4-Chloroaniline	< 7.5		7.5
4-Chlorophenyl phenyl ether	< 7.5		7.5
4-Methylphenol	< 7.5		7.5
4-Nitroaniline	< 7.5		7.5
4-Nitrobiphenyl	< 7.5		7.5
4-Nitrophenol	< 7.5		7.5
5-Nitroacenaphthene	< 7.5		7.5
7,12-Dimethylbenzo(a)anthracene	< 7.5		7.5
Acenaphthene	< 7.5		7.5
Acenaphthylene	< 7.5		7.5
Acetophenone	< 7.5		7.5
Anthracene	< 7.5		7.5
Azobenzene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 32 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A7 20210616** Lab Sample ID: **21F0685-07**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 22:55

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Benzo(a)anthracene	< 7.5		7.5
Benzo(a)pyrene	< 7.5		7.5
Benzo(b)fluoranthene	< 7.5		7.5
Benzo(ghi)perylene	< 7.5		7.5
Benzo(k)fluoranthene	< 7.5		7.5
Bis(2-chloroethoxy)methane	< 7.5		7.5
Bis(2-chloroethyl)ether	< 7.5		7.5
Bis(2-ethylhexyl)phthalate	< 26		26
Butyl benzyl phthalate	< 7.5		7.5
Carbazole	< 7.5		7.5
Chrysene	< 7.5		7.5
Dibenzo(a,h)anthracene	< 7.5		7.5
Dibenzofuran	< 7.5		7.5
Diethylphthalate	< 7.5		7.5
Dimethylphthalate	< 7.5		7.5
Di-n-butylphthalate	< 7.5		7.5
Di-n-octylphthalate	< 7.5		7.5
Diphenylamine	< 7.5		7.5
Ethyl methanesulfonate	< 7.5		7.5
Fluoranthene	< 7.5		7.5
Fluorene	< 7.5		7.5
Hexachlorobenzene	< 7.5		7.5
Hexachlorobutadiene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 33 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A7 20210616** Lab Sample ID: **21F0685-07**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 22:55

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Hexachlorocyclopentadiene	< 26		26
Hexachloroethane	< 7.5		7.5
Hexachloropropene	< 7.5		7.5
Indeno(1,2,3-cd)pyrene	< 7.5		7.5
Isodrin	< 7.5		7.5
Isophorone	< 7.5		7.5
Isosafrole	< 7.5		7.5
Mestranol	< 7.5		7.5
Methyl methanesulfonate	< 7.5		7.5
Naphthalene	< 7.5		7.5
Nitrobenzene	< 7.5		7.5
N-Nitrosodi-n-butylamine	< 7.5		7.5
N-Nitrosodi-n-propylamine	< 7.5		7.5
N-Nitrosopiperidine	< 7.5		7.5
p-Dimethylaminoazobenzene	< 7.5		7.5
Pentachlorobenzene	< 7.5		7.5
Pentachloronitrobenzene	< 7.5		7.5
Pentachlorophenol	< 75		75
Phenacetin	< 7.5		7.5
Phenanthrene	< 7.5		7.5
Phenol	< 7.5		7.5
Pronamide	< 7.5		7.5
Pyrene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 34 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A7 20210616** Lab Sample ID: **21F0685-07**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 22:55

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Pyridine	< 7.5		7.5
Safrole	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 35 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A8 20210616** Lab Sample ID: **21F0685-08**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 23:30

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
1,2,4,5-Tetrachlorobenzene	< 7.5		7.5
1,2,4-Trichlorobenzene	< 7.5		7.5
1,2-Dichlorobenzene	< 7.5		7.5
1,2-Dinitrobenzene	< 7.5		7.5
1,3-Dichlorobenzene	< 7.5		7.5
1,3-Dinitrobenzene	< 7.5		7.5
1,4-Dichlorobenzene	< 7.5		7.5
1,4-Dinitrobenzene	< 7.5		7.5
1-Chloronaphthalene	< 7.5		7.5
1-Naphthylamine	< 7.5		7.5
2,2-Oxybis(1-chloropropane)	< 7.5		7.5
2,3,4,6-Tetrachlorophenol	< 7.5		7.5
2,4,5-Trichlorophenol	< 7.5		7.5
2,4,6-Trichlorophenol	< 7.5		7.5
2,4-Dichlorophenol	< 7.5		7.5
2,4-Dimethylphenol	< 7.5		7.5
2,4-Dinitrophenol	< 26		26
2,4-Dinitrotoluene	< 7.5		7.5
2,6-Dichlorophenol	< 7.5		7.5
2,6-Dinitrotoluene	< 7.5		7.5
2-Chloronaphthalene	< 7.5		7.5
2-Chlorophenol	< 7.5		7.5
2-Methylnaphthalene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 36 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A8 20210616** Lab Sample ID: **21F0685-08**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 23:30

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
2-Methylphenol	< 7.5		7.5
2-Naphthylamine	< 7.5		7.5
2-Nitroaniline	< 7.5		7.5
2-Nitrophenol	< 7.5		7.5
2-Picoline	< 7.5		7.5
3,3-Dichlorobenzidine	< 7.5		7.5
3-Nitroaniline	< 7.5		7.5
4,6-Dinitro-2-methylphenol	< 50		50
4-Bromophenyl phenyl ether	< 7.5		7.5
4-Chloro-3-methylphenol	< 7.5		7.5
4-Chloroaniline	< 7.5		7.5
4-Chlorophenyl phenyl ether	< 7.5		7.5
4-Methylphenol	< 7.5		7.5
4-Nitroaniline	< 7.5		7.5
4-Nitrobiphenyl	< 7.5		7.5
4-Nitrophenol	< 7.5		7.5
5-Nitroacenaphthene	< 7.5		7.5
7,12-Dimethylbenzo(a)anthracene	< 7.5		7.5
Acenaphthene	< 7.5		7.5
Acenaphthylene	< 7.5		7.5
Acetophenone	< 7.5		7.5
Anthracene	< 7.5		7.5
Azobenzene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 37 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A8 20210616** Lab Sample ID: **21F0685-08**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 23:30

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Benzo(a)anthracene	< 7.5		7.5
Benzo(a)pyrene	< 7.5		7.5
Benzo(b)fluoranthene	< 7.5		7.5
Benzo(ghi)perylene	< 7.5		7.5
Benzo(k)fluoranthene	< 7.5		7.5
Bis(2-chloroethoxy)methane	< 7.5		7.5
Bis(2-chloroethyl)ether	< 7.5		7.5
Bis(2-ethylhexyl)phthalate	< 26		26
Butyl benzyl phthalate	< 7.5		7.5
Carbazole	< 7.5		7.5
Chrysene	< 7.5		7.5
Dibenzo(a,h)anthracene	< 7.5		7.5
Dibenzofuran	< 7.5		7.5
Diethylphthalate	< 7.5		7.5
Dimethylphthalate	< 7.5		7.5
Di-n-butylphthalate	< 7.5		7.5
Di-n-octylphthalate	< 7.5		7.5
Diphenylamine	< 7.5		7.5
Ethyl methanesulfonate	< 7.5		7.5
Fluoranthene	< 7.5		7.5
Fluorene	< 7.5		7.5
Hexachlorobenzene	< 7.5		7.5
Hexachlorobutadiene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 38 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A8 20210616** Lab Sample ID: **21F0685-08**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 23:30

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Hexachlorocyclopentadiene	< 26		26
Hexachloroethane	< 7.5		7.5
Hexachloropropene	< 7.5		7.5
Indeno(1,2,3-cd)pyrene	< 7.5		7.5
Isodrin	< 7.5		7.5
Isophorone	< 7.5		7.5
Isosafrole	< 7.5		7.5
Mestranol	< 7.5		7.5
Methyl methanesulfonate	< 7.5		7.5
Naphthalene	< 7.5		7.5
Nitrobenzene	< 7.5		7.5
N-Nitrosodi-n-butylamine	< 7.5		7.5
N-Nitrosodi-n-propylamine	< 7.5		7.5
N-Nitrosopiperidine	< 7.5		7.5
p-Dimethylaminoazobenzene	< 7.5		7.5
Pentachlorobenzene	< 7.5		7.5
Pentachloronitrobenzene	< 7.5		7.5
Pentachlorophenol	< 75		75
Phenacetin	< 7.5		7.5
Phenanthrene	< 7.5		7.5
Phenol	< 7.5		7.5
Pronamide	< 7.5		7.5
Pyrene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 39 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A8 20210616** Lab Sample ID: **21F0685-08**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/17/21 23:30

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Pyridine	< 7.5		7.5
Safrole	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 40 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A9 20210616** Lab Sample ID: **21F0685-09**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/18/21 00:04

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
1,2,4,5-Tetrachlorobenzene	< 7.5		7.5
1,2,4-Trichlorobenzene	< 7.5		7.5
1,2-Dichlorobenzene	< 7.5		7.5
1,2-Dinitrobenzene	< 7.5		7.5
1,3-Dichlorobenzene	< 7.5		7.5
1,3-Dinitrobenzene	< 7.5		7.5
1,4-Dichlorobenzene	< 7.5		7.5
1,4-Dinitrobenzene	< 7.5		7.5
1-Chloronaphthalene	< 7.5		7.5
1-Naphthylamine	< 7.5		7.5
2,2-Oxybis(1-chloropropane)	< 7.5		7.5
2,3,4,6-Tetrachlorophenol	< 7.5		7.5
2,4,5-Trichlorophenol	< 7.5		7.5
2,4,6-Trichlorophenol	< 7.5		7.5
2,4-Dichlorophenol	< 7.5		7.5
2,4-Dimethylphenol	< 7.5		7.5
2,4-Dinitrophenol	< 26		26
2,4-Dinitrotoluene	< 7.5		7.5
2,6-Dichlorophenol	< 7.5		7.5
2,6-Dinitrotoluene	< 7.5		7.5
2-Chloronaphthalene	< 7.5		7.5
2-Chlorophenol	< 7.5		7.5
2-Methylnaphthalene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 41 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A9 20210616** Lab Sample ID: **21F0685-09**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/18/21 00:04

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
2-Methylphenol	< 7.5		7.5
2-Naphthylamine	< 7.5		7.5
2-Nitroaniline	< 7.5		7.5
2-Nitrophenol	< 7.5		7.5
2-Picoline	< 7.5		7.5
3,3-Dichlorobenzidine	< 7.5		7.5
3-Nitroaniline	< 7.5		7.5
4,6-Dinitro-2-methylphenol	< 50		50
4-Bromophenyl phenyl ether	< 7.5		7.5
4-Chloro-3-methylphenol	< 7.5		7.5
4-Chloroaniline	< 7.5		7.5
4-Chlorophenyl phenyl ether	< 7.5		7.5
4-Methylphenol	< 7.5		7.5
4-Nitroaniline	< 7.5		7.5
4-Nitrobiphenyl	< 7.5		7.5
4-Nitrophenol	< 7.5		7.5
5-Nitroacenaphthene	< 7.5		7.5
7,12-Dimethylbenzo(a)anthracene	< 7.5		7.5
Acenaphthene	< 7.5		7.5
Acenaphthylene	< 7.5		7.5
Acetophenone	< 7.5		7.5
Anthracene	< 7.5		7.5
Azobenzene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 42 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A9 20210616** Lab Sample ID: **21F0685-09**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/18/21 00:04

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Benzo(a)anthracene	< 7.5		7.5
Benzo(a)pyrene	< 7.5		7.5
Benzo(b)fluoranthene	< 7.5		7.5
Benzo(ghi)perylene	< 7.5		7.5
Benzo(k)fluoranthene	< 7.5		7.5
Bis(2-chloroethoxy)methane	< 7.5		7.5
Bis(2-chloroethyl)ether	< 7.5		7.5
Bis(2-ethylhexyl)phthalate	< 26		26
Butyl benzyl phthalate	< 7.5		7.5
Carbazole	< 7.5		7.5
Chrysene	< 7.5		7.5
Dibenzo(a,h)anthracene	< 7.5		7.5
Dibenzofuran	< 7.5		7.5
Diethylphthalate	< 7.5		7.5
Dimethylphthalate	< 7.5		7.5
Di-n-butylphthalate	< 7.5		7.5
Di-n-octylphthalate	< 7.5		7.5
Diphenylamine	< 7.5		7.5
Ethyl methanesulfonate	< 7.5		7.5
Fluoranthene	< 7.5		7.5
Fluorene	< 7.5		7.5
Hexachlorobenzene	< 7.5		7.5
Hexachlorobutadiene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 43 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A9 20210616** Lab Sample ID: **21F0685-09**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/18/21 00:04

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Hexachlorocyclopentadiene	< 26		26
Hexachloroethane	< 7.5		7.5
Hexachloropropene	< 7.5		7.5
Indeno(1,2,3-cd)pyrene	< 7.5		7.5
Isodrin	< 7.5		7.5
Isophorone	< 7.5		7.5
Isosafrole	< 7.5		7.5
Mestranol	< 7.5		7.5
Methyl methanesulfonate	< 7.5		7.5
Naphthalene	< 7.5		7.5
Nitrobenzene	< 7.5		7.5
N-Nitrosodi-n-butylamine	< 7.5		7.5
N-Nitrosodi-n-propylamine	< 7.5		7.5
N-Nitrosopiperidine	< 7.5		7.5
p-Dimethylaminoazobenzene	< 7.5		7.5
Pentachlorobenzene	< 7.5		7.5
Pentachloronitrobenzene	< 7.5		7.5
Pentachlorophenol	< 75		75
Phenacetin	< 7.5		7.5
Phenanthrene	< 7.5		7.5
Phenol	< 7.5		7.5
Pronamide	< 7.5		7.5
Pyrene	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 44 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A9 20210616** Lab Sample ID: **21F0685-09**

Matrix: Wipe Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/wipe Analyzed: 06/18/21 00:04

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Pyridine	< 7.5		7.5
Safrole	< 7.5		7.5

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 45 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A10 202110616** Lab Sample ID: **21F0685-10**

Matrix: Water Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/L Analyzed: 06/18/21 00:39

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
1,2,4,5-Tetrachlorobenzene	< 7500		7500
1,2,4-Trichlorobenzene	< 7500		7500
1,2-Dichlorobenzene	< 7500		7500
1,2-Dinitrobenzene	< 7500		7500
1,3-Dichlorobenzene	< 7500		7500
1,3-Dinitrobenzene	< 25000		25000
1,4-Dichlorobenzene	< 7500		7500
1,4-Dinitrobenzene	< 25000		25000
1-Chloronaphthalene	< 7500		7500
1-Naphthylamine	< 25000		25000
2,2-Oxybis(1-chloropropane)	< 7500		7500
2,3,4,6-Tetrachlorophenol	< 7500		7500
2,4,5-Trichlorophenol	< 7500		7500
2,4,6-Trichlorophenol	< 7500		7500
2,4-Dichlorophenol	< 7500		7500
2,4-Dimethylphenol	< 7500		7500
2,4-Dinitrophenol	< 25000		25000
2,4-Dinitrotoluene	< 25000		25000
2,6-Dichlorophenol	< 7500		7500
2,6-Dinitrotoluene	< 7500		7500
2-Chloronaphthalene	< 7500		7500
2-Chlorophenol	< 7500		7500
2-Methylnaphthalene	< 7500		7500

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 46 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A10 202110616** Lab Sample ID: **21F0685-10**

Matrix: Water Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/L Analyzed: 06/18/21 00:39

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
2-Methylphenol	< 7500		7500
2-Naphthylamine	< 25000		25000
2-Nitroaniline	< 7500		7500
2-Nitrophenol	< 25000		25000
2-Picoline	< 7500		7500
3,3-Dichlorobenzidine	< 7500		7500
3-Nitroaniline	< 7500		7500
4,6-Dinitro-2-methylphenol	< 25000		25000
4-Bromophenyl phenyl ether	< 7500		7500
4-Chloro-3-methylphenol	< 7500		7500
4-Chloroaniline	< 7500		7500
4-Chlorophenyl phenyl ether	< 7500		7500
4-Methylphenol	< 7500		7500
4-Nitroaniline	< 7500		7500
4-Nitrobiphenyl	< 25000		25000
4-Nitrophenol	< 25000		25000
5-Nitroacenaphthene	< 25000		25000
7,12-Dimethylbenzo(a)anthracene	< 25000		25000
Acenaphthene	< 7500		7500
Acenaphthylene	< 7500		7500
Acetophenone	< 7500		7500
Anthracene	< 7500		7500
Azobenzene	< 7500		7500

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 47 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A10 202110616** Lab Sample ID: **21F0685-10**

Matrix: Water Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/L Analyzed: 06/18/21 00:39

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Benzo(a)anthracene	< 7500		7500
Benzo(a)pyrene	< 7500		7500
Benzo(b)fluoranthene	< 7500		7500
Benzo(ghi)perylene	< 25000		25000
Benzo(k)fluoranthene	< 7500		7500
Bis(2-chloroethoxy)methane	< 7500		7500
Bis(2-chloroethyl)ether	< 7500		7500
Bis(2-ethylhexyl)phthalate	< 25000		25000
Butyl benzyl phthalate	< 25000		25000
Carbazole	< 7500		7500
Chrysene	< 7500		7500
Dibenzo(a,h)anthracene	< 25000		25000
Dibenzofuran	< 7500		7500
Diethylphthalate	< 7500		7500
Dimethylphthalate	< 7500		7500
Di-n-butylphthalate	< 7500		7500
Di-n-octylphthalate	< 25000		25000
Diphenylamine	< 7500		7500
Ethyl methanesulfonate	< 7500		7500
Fluoranthene	< 7500		7500
Fluorene	< 7500		7500
Hexachlorobenzene	< 7500		7500
Hexachlorobutadiene	< 7500		7500

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 48 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A10 202110616** Lab Sample ID: **21F0685-10**

Matrix: Water Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/L Analyzed: 06/18/21 00:39

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Hexachlorocyclopentadiene	< 7500		7500
Hexachloroethane	< 7500		7500
Hexachloropropene	< 7500		7500
Indeno(1,2,3-cd)pyrene	< 25000		25000
Isodrin	< 7500		7500
Isophorone	< 7500		7500
Isosafrole	< 7500		7500
Mestranol	< 25000		25000
Methyl methanesulfonate	< 7500		7500
Naphthalene	< 7500		7500
Nitrobenzene	< 7500		7500
N-Nitrosodi-n-butylamine	< 7500		7500
N-Nitrosodi-n-propylamine	< 7500		7500
N-Nitrosopiperidine	< 7500		7500
p-Dimethylaminoazobenzene	< 7500		7500
Pentachlorobenzene	< 7500		7500
Pentachloronitrobenzene	< 7500		7500
Pentachlorophenol	< 25000		25000
Phenacetin	< 7500		7500
Phenanthrene	< 7500		7500
Phenol	< 7500		7500
Pronamide	< 7500		7500
Pyrene	< 7500		7500

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 49 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A10 202110616** Lab Sample ID: **21F0685-10**

Matrix: Water Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/L Analyzed: 06/18/21 00:39

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Pyridine	< 7500		7500
Safrole	< 7500		7500

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 50 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A11 202110616** Lab Sample ID: **21F0685-11**

Matrix: Water Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/L Analyzed: 06/18/21 01:14

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
1,2,4,5-Tetrachlorobenzene	< 7500		7500
1,2,4-Trichlorobenzene	< 7500		7500
1,2-Dichlorobenzene	< 7500		7500
1,2-Dinitrobenzene	< 7500		7500
1,3-Dichlorobenzene	< 7500		7500
1,3-Dinitrobenzene	< 25000		25000
1,4-Dichlorobenzene	< 7500		7500
1,4-Dinitrobenzene	< 25000		25000
1-Chloronaphthalene	< 7500		7500
1-Naphthylamine	< 25000		25000
2,2-Oxybis(1-chloropropane)	< 7500		7500
2,3,4,6-Tetrachlorophenol	< 7500		7500
2,4,5-Trichlorophenol	< 7500		7500
2,4,6-Trichlorophenol	< 7500		7500
2,4-Dichlorophenol	< 7500		7500
2,4-Dimethylphenol	< 7500		7500
2,4-Dinitrophenol	< 25000		25000
2,4-Dinitrotoluene	< 25000		25000
2,6-Dichlorophenol	< 7500		7500
2,6-Dinitrotoluene	< 7500		7500
2-Chloronaphthalene	< 7500		7500
2-Chlorophenol	< 7500		7500
2-Methylnaphthalene	< 7500		7500

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 51 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A11 202110616** Lab Sample ID: **21F0685-11**

Matrix: Water Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/L Analyzed: 06/18/21 01:14

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
2-Methylphenol	< 7500		7500
2-Naphthylamine	< 25000		25000
2-Nitroaniline	< 7500		7500
2-Nitrophenol	< 25000		25000
2-Picoline	< 7500		7500
3,3-Dichlorobenzidine	< 7500		7500
3-Nitroaniline	< 7500		7500
4,6-Dinitro-2-methylphenol	< 25000		25000
4-Bromophenyl phenyl ether	< 7500		7500
4-Chloro-3-methylphenol	< 7500		7500
4-Chloroaniline	< 7500		7500
4-Chlorophenyl phenyl ether	< 7500		7500
4-Methylphenol	< 7500		7500
4-Nitroaniline	< 7500		7500
4-Nitrobiphenyl	< 25000		25000
4-Nitrophenol	< 25000		25000
5-Nitroacenaphthene	< 25000		25000
7,12-Dimethylbenzo(a)anthracene	< 25000		25000
Acenaphthene	< 7500		7500
Acenaphthylene	< 7500		7500
Acetophenone	< 7500		7500
Anthracene	< 7500		7500
Azobenzene	< 7500		7500

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 52 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A11 202110616** Lab Sample ID: **21F0685-11**

Matrix: Water Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/L Analyzed: 06/18/21 01:14

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Benzo(a)anthracene	< 7500		7500
Benzo(a)pyrene	< 7500		7500
Benzo(b)fluoranthene	< 7500		7500
Benzo(ghi)perylene	< 25000		25000
Benzo(k)fluoranthene	< 7500		7500
Bis(2-chloroethoxy)methane	< 7500		7500
Bis(2-chloroethyl)ether	< 7500		7500
Bis(2-ethylhexyl)phthalate	< 25000		25000
Butyl benzyl phthalate	< 25000		25000
Carbazole	< 7500		7500
Chrysene	< 7500		7500
Dibenzo(a,h)anthracene	< 25000		25000
Dibenzofuran	< 7500		7500
Diethylphthalate	< 7500		7500
Dimethylphthalate	< 7500		7500
Di-n-butylphthalate	< 7500		7500
Di-n-octylphthalate	< 25000		25000
Diphenylamine	< 7500		7500
Ethyl methanesulfonate	< 7500		7500
Fluoranthene	< 7500		7500
Fluorene	< 7500		7500
Hexachlorobenzene	< 7500		7500
Hexachlorobutadiene	< 7500		7500

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 53 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A11 202110616** Lab Sample ID: **21F0685-11**

Matrix: Water Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/L Analyzed: 06/18/21 01:14

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Hexachlorocyclopentadiene	< 7500		7500
Hexachloroethane	< 7500		7500
Hexachloropropene	< 7500		7500
Indeno(1,2,3-cd)pyrene	< 25000		25000
Isodrin	< 7500		7500
Isophorone	< 7500		7500
Isosafrole	< 7500		7500
Mestranol	< 25000		25000
Methyl methanesulfonate	< 7500		7500
Naphthalene	< 7500		7500
Nitrobenzene	< 7500		7500
N-Nitrosodi-n-butylamine	< 7500		7500
N-Nitrosodi-n-propylamine	< 7500		7500
N-Nitrosopiperidine	< 7500		7500
p-Dimethylaminoazobenzene	< 7500		7500
Pentachlorobenzene	< 7500		7500
Pentachloronitrobenzene	< 7500		7500
Pentachlorophenol	< 25000		25000
Phenacetin	< 7500		7500
Phenanthrene	< 7500		7500
Phenol	< 7500		7500
Pronamide	< 7500		7500
Pyrene	< 7500		7500

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 54 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Client Sample ID: **1A11 202110616** Lab Sample ID: **21F0685-11**

Matrix: Water Collected By: Date/Time Collected: 06/16/21 21:02

Semivolatiles by GC/MS

Method: 8270 Prepared: 06/17/21 05:00

Units: ug/L Analyzed: 06/18/21 01:14

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Pyridine	< 7500		7500
Safrole	< 7500		7500

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 55 of 56



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: [none] Date Received : 06/17/21

Funding Code: CS29 B50 Temperature C: 26.00

Notes and Definitions

ND Analyte NOT DETECTED at or above the reporting limit

* Non-NELAP accredited

Method 8270: Wipe samples were cotton swabs. Extracted in sample container with methylene chloride extraction. Surrogate recovery not evaluated.

Method 8270: Water samples collected provided only a small quantity (<20mLs). Test-tube extraction performed on 1mL of sample. Surrogate recovery not evaluated.

Report Authorized by:

Tom Weiss
Laboratory Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
06/22/21 10:25
Page 56 of 56